United States Department of the Interior Fish and Wildlife Service

Fishery Leaflet 143

Chicago 54, Ill.

September 1945

PREPARATION OF FISH FOR STORAGE IN REFRIGERATED LOCKERS 1/

By Leo Young, Fishery Marketing Specialist Division of Commercial Fisheries

Illustrations by Katherine L. Howe

Contents

	Page	:		Page
Preparing the fish	3	:	Storing the fish	10
Packaging the fish	8		Shellfish	10
Freezing the fish	10	:	References	12

The instructions that follow have been prepared primarily to inform frozen food locker operators and their assistants how to prepare, package, freeze, and store fish in refrigerated lockers. They can be followed equally well, however, by locker patrons and by homemakers who desire to prepare and store fish in home freezer cabinets.

In introducing fishery products to your locker patrons, commercially frozen packaged fish offer you certain advantages. These commodities are more convenient for you to handle and require considerably less care. After you have merchandised these prepared products for a time, you may feel that you are familiar enough with fish so that you can undertake more extensive activities. Then, you may find it more profitable to purchase fresh fish, during their seasons of abundance when they are comparatively economical, and prepare, package, and freeze them for sale to your patrons for storage.

Information to aid you in choosing species during their heavy production periods can be obtained from the Fishery Market News, August 1941 Supplement.

^{1/} Reprinted from Locker Operator, August 1945, p. 12.

Steaks


This bulletin also suggests cooking methods, and describes the characteristics of the various species, that is, whether they are fat or lean fish. Request this bulletin from the Fish and Wildlife Service, Washington 25, D. C. More specific production and price data may be obtained from Fishery Market News Service offices located in New York, N.Y.; Boston, Mass.; Chicago, Ill.; New Orleans, La.; Jacksonville, Fla.; Hampton, Va.; San Pedro, Calif.; and Seattle. Wash.

PREPARING THE FISH

For packaging and freezing, purchase fish round (whole) or drawn (eviscerated). It is possible, then, for you to dress, fillet, or otherwise prepare the fish to satisfy your patrons. Fish may be divided into three size groups for the purpose of determining the most suitable means of preparation.

The first group includes fish weighing no more than three pounds. The smallest of these fish--those weighing less than 1 pound--may be frozen whole, if they are exceptionally fresh. For general convenience, however, scale, eviscerate, and head the fish in this group before you wrap, freeze, and store them. Then, when removed from storage, they can be thawed and cooked without any further preparation (see table 1).

Use a narrow-bladed sharp knife to prepare these fish. Remove the scales by scraping gently from the tail toward the head; use the dull edge of the knife, and hold the fish by the tail. For heavy work, or when speed is necessary, use a commercially manufactured electric scaler. You also can use other instruments such as vegetable peelers or similar kitchen "gadgets."




Scaling Fish with a Knife (Use Dull Blade or Back Edge of Knife)

_		Market		form	Bu	ggested met	hods of pr	sparation	for freez	ing	Character-	CAN'T TO
Species	Producing area	weights	Round	Drawn	Round	Drawn or	7illets	7 lbs.	Over	7 lbs.	istics	Remarks
		pounds		dressed	поши	dressed	Alliete	Diedes	Dienks	Chunks		-yando
Salt-water species:				- 90		1110	F 15.00	200	0.7 80	12 00	25 2 2 5 7 10	NY A TRIO
Alewife	Atlantic	to 3/4	x	10.1		1	1. D. I. T.	10000	7208	DBU	TABL OR	188 / 10
Anglerfish	Atlantic	2 to 20		1 3	×	x	-		-	- 1	Pat	Pickle or make
Barracuda	Atlantic & Pacific	5 to 10	x	x	-	x	-	x	x	x	Less	Smokes well
Sarracuda	Atlantic & Gulf	1 to 7	x	1 1	-	-	-	x	x	-	Pat	
Blue runner	Gulf	to 1	x		0.00	x	x	-	-	-	Lean	
Butterfish	Atlantic	1/4 to 1	x	1	x	x	-			- 1	Lean	
Cod	Atlantic & Pacific	3 to 20		x				-	-	-	Fat	Smokes well
Croaker	Atlantic & Gulf	to 2-1/2	x		-	x	x	*	x	x	Lean	
Cusk	Atlantio	3 to 10		×	-	x				- 1	Leen	
Drum, black	Gulf & Atlantic	2 to 20	x		-		x	X	X	-	Lean	
Drum, red	Gulf & Atlantic	2 to 25	x		-	X X	x	x	x	x	Lean	
Eel, common	Atlantic & Gulf	1 to 3	x	2	-	X	x	х	x	1	Lean	100000000000000000000000000000000000000
Sel, conger	Atlantic	5 to 15	x	-	-	× .		-	-	-	Yat	Smokes well
Flounder or "sole"	Atlantic & Pacific	1/4 to 15	x	-	-	×	-	-	-	I	7	
Grouper	Gulf & Atlantic	5 to 15	x		-		-		x	x	Lean	1.7 BYBO
Frunt	Atlantic & Gulf	1/2 to 1	x	x	-		x	x	x	x	Lean	and the second
Haddock	Atlantic	12 to 7	x	×	-	x	-	-		2.1	Lean	2 and 2 - 1 1
Haka	Atlantic	2 to 5	x	×	-	x	x	-	-	-	Lean	Smokes well
Halibut	Pacific & Atlantic	8 to 75			-	X.	x	-	1000	-	Lean	THE BUILDING
erring, see	Atlantic & Pacific	1/2 to 1	x	Х	-	-	-	-	I	X	Lean	The street of
ingfish, Atlantic	Atlantic & Facilite	10 to 30	_	0	У.	ж	-	-	-	-	7ns	Smokes well
ingfish, Pacific	Pacific & Gall	3/4 to 1	x		-	-	-	-	x	I	Fat	7.74
ingiish, raciiic	Pacific	5 to 20	x	x	-	x	-	-			Lean	
Mackerel	Atlantic & Pacific	3/4 to 3	x		-	-	x	-	x	x	Lean	
fullet	Atlantic & Gulf	1/2 to 3	x	-	-	x	x	-	-	-	Pas	L. E. P. Sandardo V. C. St.
Ceanpout	Atlantic & Odli	2 to 5		2	-	x	x	-	-	-	Lean-fat	CTT ONES CO.
erch, ocean	Atlantic & Pacific		x		-	x	x	-		- 1	Lean	44 54 6
ollock	Atlantic & Pacific	\$ to 1-1/2 3 to 14	x	-	-	x	-	-	-	-	Less	1114 114
ompano	Gulf & Atlantic		-	x	-	x	x	-	×	x	Lean	
Rockfish	Pacific Pacific	1 to 1-1/2	X	-	-	X	-	-	-	-	Fat	DOBLEYS
Rossfish	Atlantic	2 to 5	x	x	-	x	X	-	-	-	Lean	11111
Sablafish	Pacific	to 1-1/4	x	-	-	х	-	-	-	-	Lean	amidd . Ill
simon	Pacific & Atlantic	5 to 15	-	x	-	-	x	x	x	x	Tat	
Scup	Atlantic	3 to 30	-	x	-	-	x	x	x	x	Pat	Some are lean
Sea bass, Atlantic		1/2 to 2	I	-	-	I	-	-	~	-	Lean	
ea bass, Atlantic	Atlantic	1/2 to 4	I	-	-	x	x	-	-		Lenn	
White	D1181-											
Sea bass, black	Pacific	Up to 50	X	-	-	-	x	x	x	I	Lean	
Sea robin	Pucific	50 to 600	x	-	-	-	-	-	x	x	Lean	
Sea trout	Atlantic	3/4 to 2	X		-	X	-	-	-		Lean	constant of
bad.	Atlantic & Gulf	1 to 6	x	-	-	X	x	-	-	-	-912	
Shark & grayfish	Atlantic & Pacific	1 to 7	X	*	-	x	x	-	- 1	-	Yat	nd bros . Al
	Atlantic & Pacific	2 to 50	x	x	-	X	X	1	x	I	Lean	Activity and a second second
Sheepshead Smelt	Atlantic	1 to 15	x	-	-	x	x	-	x	x	Leun	emilia de la ser
Snapper, red	Atlantic & Pacific	i or less	x	-	x	X	-	-		- 1	Leun	Bulachon are fat
Snook	Gulf & Atlantic	2 to 15	-	I	-	X	x	-	x	x	Lean	a reference
Spanish mackerel	Gulf	3	X	-	-	X	x	-	-	-	Lean	I DONE
Spot	Atlantic & Gulf	1 to 4	I	-	~	x	x	-	-	-	Fat	
	Atlantic	1 to 1-1/4 2 to 40	x	-	140	x	-	-	-	-	Lean	
Striped bass	Atlantic & Facific		I	-	-	X	x	-	x	x	Lean	99
Swallfish	Atlantic & Pacific	40 to 200	-	x	-	-	-	-	x	x	Fat	
Swordfish	Atlantic	1/4 to 1	-	x	-	x	-	-	-	-	Loun	
Cautog	Atlantic & Pacific	50 to 200		x	-	-	-	-	x	x	Lean	
Milefish	Atlantic	2	I	-	-	x	-	-	-	-	Lean	
Concod	Atlantic	4 to 18	-	I	-	-	x	-	x	x	Lean	
Puna	Pacific & Atlantic	1/2 to 1	X	x	-	x	-	-	-	-	Lean	
Thiting	Pacific & Atlantic	10 to 65	x	-	-	-	-	-	x	r	Fat	Short storage peri
Volffish	Atlantic	1/2 to 11	x	-	-	x		-	-	-	Lean	The state of the s
OLII LEB	Atlantic	2 to 25	-	x	-	x	x	-	x	x	Lean	
resh-water species:			-			-				-		
Bowfin	Lakes & givers	2 to 8	_									
Ruffalofish	Mississippi valley	5 to 15	I	-	-	I	-	x	I	-	Leen	Smokes well
Burbot	Great Lakes		x	-	-	-	-	I	x	-	Lean	Smokes well
Sarp	Lekes & rivers	3 to 10 2 to 8	x	-	-	x	x	-	-	X.	Lean	
atfish & bullhead	Rivers & lakes		I	_	-	x	-	x	x	X	Lean to fat	Smokes well
ake herring	Great Lakes	1 to 10	I	-	-	x	-	I	x	I	Fat	Smokes well
ake trout	Lakes	11 00 3	x		x	I	-	-	-	-	Lean to fat	Smokes well
ickerel or pike	Great Lakes	1 to 10	-	x	-	x	x	-	x	x	Fat	
The perches & yellow	Trade Pares	2 to 10	x	-	-	x	x	-	x	x	Lean	
perches	Great Lakes	1/0 1-										
heepshead	Lakes	1/2 to 10	x	-	-	x	x	-	x	-	Lean	
Smelt	Great Lakes	1/2 to 3	I	-	-	x	x	-	-	-	Lean	
uckers	Great Lakes & streams	Less than 1	I	-	x	6		-	-	-		
unfish	Lakes	1/2 to 4	x	I	-		x	- "	-	1	Lean	
hitefish	Great Lakes	1/4 to 3/4	x	-	I	x	-	-	-	-	Lean	
	AT DE V LORDS	2 to 6	x	x	-	I	I	x	-	-	Fat	Smokes well


Remove the entrails by cutting the entire length of the belly from the vent (anal opening) to the head; take care not to cut the viscera by inserting the point of the blade too far. Remove the viscera by hand, and then cut off the head. Carefully remove traces of blood and viscera from the belly cavity, and, if necessary, wash the fish inside and out with a damp cold cloth.

The second group includes fish weighing from 3 to 7 pounds. These fish are well suited for filleting before packaging and freezing although some of the smaller ones may be prepared as dressed fish, according to the instructions for the first group (see table 1).


Use a sharp knife to fillet the fish. If you cut with the right hand, lay the fish on its side on a cutting board or table with the head at your right, belly away from you. (Place the head on your left if you cut with the left hand). Cut down to the backbone at the neck. When the knife reaches the backbone, turn the knife flat and cut the flesh along the bone to the tail, exerting a steady pushing pressure. Lift off the entire side in one piece. Turn the fish over and around, and repeat the operation on the other side, freeing the fillet by cutting from head to tail. Pull out with your fingers any small bones that cannot be removed readily with the backbone, or trim them off with your knife.




Filleting - First cut made at neck or collarbone




Cutting along backbone - to remove fillet



Freeing fillet at the tail



First cut to remove second fillet





Remove the skin from the fillet

If you wish, you can skin the fillets, too. Lay the fillet flat on the cutting board or table with the flesh side up. Hold the tail-end with your fingers, and with your knife cut through the flesh to the skin about one-half inch in from the end of the fillet. Flatten your knife on the skin, and cut the flesh away from the skin by pushing your knife forward while holding the free end of the skin firmly between your fingers.

The third group includes fish weighing over 7 pounds (see table 1).

Dress large fish by removing the scales, viscera, heads, and tails. From some it may be advisable to remove the fins, too, especially if they are large or sharp. Remove the head, after scaling and eviscerating the fish, by cutting down to the backbone with a sharp knife at a point on the neck above the collarbone. If the backbone is not too large, remove the head by cutting through the backbone with a single stroke. If the bone is large, cut down to it on each side of the fish, and then snap the backbone by bending it over the edge of the cutting board or table. If necessary, cut through any remaining pieces which may hold the head attached to the body.





Remove head by cutting above collarbone and breaking backbone at table edge

Remove the back fins by cutting into the flesh along each side of the fins with the point of your knife, and remove the fins with your fingers by pulling toward the head. The fins and attached bones thus will come free. Remove the other fins by cutting them away with a small portion of the flesh and internal bones. Never trim the fins with shears.

After scaling, finning, eviscerating, and heading large fish, prepare steaks by cutting vertically through the body into slices about one inch thick. It will be necessary sometimes for you to search out joints along the backbone in order to cut through with a minimum of difficulty. The tail portion of large fish is usually filleted or cut into chunks when the steaks become too small.

Prepare chunks from large fish by cutting the dressed fish into thick portions in the same manner as for steaks. Cut the pieces several inches or more wide, perhaps dividing the dressed fish into fourths or fifths. The size of the chunks should depend somewhat on the future use and characteristics of the species. In order to increase the storage life it is wise to cut fat fish into larger pieces.

In commercial practice large fish are also frozen whole or dressed. For locker plants the latter method would be preferable. Steaks may be sawed or cut from these frozen fish at a convenient period and packaged for sale.

When you are working with fish, keep your cutting board or table as clean as possible. Frequently wash and remove adhering viscera, fins, and bones. Such care is necessary to prevent possible contamination of your fish, and will result in longer storage life for them. Framine carefully your dressed or filleted fish, and free them, too, of any adhering viscera or blood before wrapping them.

You can remove the fish odors from utensils, cutting board, and table by washing them with a hot brine. A tablespoonful of salt dissolved in a quart of water, or any similar ratio, makes a satisfactory brine. Wash, first, with the hot salt-water, and then rinse in hot soapy water.

PACKAGING THE FISH (See table 2)

Use wrappers that are moisture-vapor-proof and wrap and seal your packages so that the smallest possible amount of air remains. Use heat-sealing cartons to hold these packages. Wrappers which prevent moisture loss keep the fish from dehydrating, and if, in addition, the fish are packed to exclude air, exidation of the fat is prevented. Storage life is thus prolonged. Whenever, possible, wrap the fish in portions of a size to serve one, two, three, or four persons. This procedure permits choosing the exact amount of fish desired when removing a package from storage, and avoids the need for uncovering and rewrapping unused portions.

Large fish are frequently glazed and stored without wrappings. Glaze these fish after they are frozen by dipping them in water at a temperature near

Table 2. SUGGESTED PACKAGING METHODS FOR FISH IN LOCKER PLANT STORAGE

Size	Moisture-vapor- proof wrapper*	Glass jar	Cup container	Glaze	Remarks
104		West 20 5 12	5.80 - 3.5		4 9 8 9 8 8 9 9 9
Up to 3 pounds Small sizes:					
	스 선생 맞다 그 것 했다.				
Round	x	x	X		In this group are those
Drawn or dressed	x	x	x	-	weighing less than 1 pound
Large sizes:					
Round	x	-	_	- 7	In this group are those
Drawn or dressed	x	_		_8 9	weighing from 1 to 3 pounds
mind I					
3 to 7 pounds					
Fillets	x	-	_	_	
Steaks	x	_	-		
Round	-		•••	x	Only the largest fish in this
Chunks	x	x	x	-	class should be glazed.
				-	crass supura se graned.
Over 7 pounds					
Steaks	×	jih.		_	
Chunks	x	_	_		
Round		_	_		
Round	, · -	, -	-	x	

^{*} Use heat-sealing cartons, in which you can place several moisture-vapor-proof wrapped packages, for packaging efficiency and increased storage life.

freezing or about 34-degrees Fahrenheit. Glazing should be done in a cool room. After the first coat or glaze freezes, repeat the dipping twice more allowing each coat to freeze first. If the fish are stored for more than two months, glaze them again.

FREEZING THE FISH

Numerous articles have been written about the relative merits of various types and speeds of freezing. Experts, however, have agreed that freezing must follow quickly after preparation and packaging to prevent spoilage at high temperatures. Some believe that the most rapid freezing possible is desirable because smaller ice crystals form in the flesh and cell tissue rupture is lessened, thus minimizing moisture loss (drip) during thawing. Therefore, freeze your fish at 0-degrees Fahrenheit, or lower, depending upon the type of equipment you are using. Package them in small enough quantities so that they will freeze in 24 hours or less.

STORING THE FISH

The important factors governing the length of storage life of fish and their quality afterwards are the effectiveness of packaging, the storage temperature, and the characteristics of the flesh.

If you use a moisture-vapor-proof wrapper and a sealed package containing a minimum of air, you retard desiccation as well as oxidation, or the development of rancidity. The oxidation or rancidity is caused by the air coming in contact with the oil or fat in the fish, and tends to discolor the flesh although it does not make it inedible. Palatability is reduced, however, and the quality is not as desirable as it might be. You will reduce the possibility of this unfavorable change taking place and increase the storage life by many weeks through proper packaging.

For optimum storage life maintain a constant holding temperature of O-degrees Fahrenheit. Fluctuating temperatures are unfavorable, and usually cause desiccation. You should prevent variations of more than two degrees, plus or minus.

Store lean-meated fish for as long as one year but provide for more rapid turnover, whenever possible. The storage life of fatty fish will vary; generally, a six months period is considered the maximum. You should not store some fish for more than a few weeks, especially when they are exceptionally rich in fat.

Certain trade periodicals have reported that the average turnover of foods in lockers has been about three times yearly. Suggest this to your patrons as the rule rather than the exception for fish, and, thereby, you will assure them of good eating.

SHELLFISH

· You also can freeze and store oysters, shrimp, lobsters, clams, crabs, and other shellfish (see table 3). Shucked oysters, raw or cooked shrimp, and fresh-

Table 3. METHODS OF PREPARING SHELLFISH FOR LOCKER PLANT STORAGE

	Producing Area		Market	form		Suggested me			
Name		Whole	Shucked, headed, or dressed	Cooked in shell	Cooked meat	Shucked, headed, or dressed	Cooked in shell	Cooked meat	Character
Abalone	Pacific	-	x	_	_	x	_	_	Lean
Clams	Atlantic & Pacific	x	x	-	-	x	_	_	Lean
Crabs	Atlantic & Pacific	x	-	x	x		x	x	Lean
Lobsters	Atlantic	x	-	x	x	_	x	x	Lean
Mussels	Atlantic	x	x	-	_	x	_	-	Lean
Oysters	Atlantic, Gulf, and Pacific	x	x	× 1		***			Lean
Scallops	Atlantic	_	x	_	_	x x	_		Lean
Shrimp	Atlantic, Gulf, and	70	*		_	,	- Det	on to Tolke me	Lean
	Pacific	-	x	x	x	x	x	x	Lean
Spiny lobsters	Atlantic & Pacific	x	x	x	x	-	x	х	Lean
Other Prod.									
Frogs	Louisiana & Florida, some in other								
Turtles	states Atlantic, Gulf, and	x	х	-	-	x	-		Lean
	Mississippi	X	X	_	_	x	-		Lean

Note: Clams, crabs, lobsters, mussels, oysters, and spiny lobsters, when purchased in shells, should be alive, unless cooked. Shrimp are usually marketed with the heads removed; frogs are usually marketed as legs only; and turtles are usually marketed as steak meats, or chunks of meat for soups.

Table 4. SUGGESTED PACKAGING METHODS FOR SHELLFISH IN LOCKER PLANT STORAGE

The second second]	Method of packagi				
Prepared form		Moisture-vapor- proof wrapper*	- Glass jar	Cup container	Remarks		
dre	ed, headed, or ssed		х	x	Use containers which will prevent loss of		
order trod.					juices.		
Cooke	d in shell:						
Sma	ll shellfish	-	x	x	Wrap carefully so that		
aug mib Lar	ge shellfish	×	-	x	shell does not puncture		
Sealleps	Astancar				paper.		
5 Cooke	d Meat	g*55.5.	x	x			
Musse Is							
Lobatera	Atlantia						
Craba B.B.	A MALANTON AL MA						

0

Clams

^{*} Use heat-sealing cartons whenever possible.

cooked crab meat, as well as other shellfish, are frozen and packaged commercially, and you can obtain these products for storage and sale in your locker plant. See table 4 for packaging instructions. Shellfish are frozen and stored in the same manner as fish.

Lists of processors and wholesalers of these and other frozen packaged fishery products are available, and may be obtained upon request from the Fish and Wildlife Service.

In order to foster a better understanding of the care and handling of fish the Fish and Wildlife Service, through its Division of Commercial Fisheries, is prepared to assist locker plant operators, State Locker Associations, and others with their fishery problems. Division marketing specialists, technologists, and home economists will cooperate in fulfilling requests for prearranged demonstrations dealing with the preparation of fish for locker storage, and home cookery of fishery products. The Service will be glad to increase and develop a market for fishery products in refrigerated food locker plants in this manner.

REFERENCES

CHRISTEY, L. S.

1944. Frozen fish belongs in your locker plant. Sep. No. 77. (Obtainable from the Fish and Wildlife Service, U. S. Department of the Interior, Washington 25, D.C.)

FISH AND WILDLIFE SERVICE.

1941. Fresh and frozen fishery products reference manual. Fishery Market

News - August Supplement. (Obtainable from the Fish and Wildlife

Service, U. S. Department of the Interior, Washington 25, D.C.)

HEERDT, MARTIN, JR.; BUCHER, DORRIS L.; and STANSBY, MAURICE E.

1945. Refrigerated locker storage of fish for home use. Fishery Leaflet 128. (Obtainable from the Fish and Wildlife Service, U. S. Department of the Interior, Chicago 54, Ill.)

YOUNG, LEO.

1944. The distribution of fish by frozen food locker plants. Sep. No. 78. (Obtainable from the Fish and Wildlife Service, U. S. Department of the Interior, Washington 25, D. C.)