

Authors, Titles, and Subjects in the *Marine Fisheries Review* 72(1–4), 2010

A

- Abbott-Jamieson, Susan, and Patricia M. Clay, “The long voyage to including sociocultural analysis in NOAA’s National Marine Fisheries Service,” 2: 14–33
- Abrealia redfieldi*
deep-water bottom trawl survey, 4:20–25
- Aetobatis narinari*—see Ray, spotted eagle
- Allen, Mike S.—see Morgan et al.
- Amusium papyraceum*—see Scallop, paper
- Anasimus latus*—see Crab, stilt spider
- Anoplopoma fimbria*—see Sablefish

B

- Balaenoptera acutorostrata*—see Whale, minke
- Balaenoptera musculus*—see Whale, blue
- Barnett, Harold J.—see Karinen et al.
- Barracuda, great
bycatch in U.S. Atlantic bottom longline fishery, 2002–06, 2:34–38
- “The black clam, *Villorita cyprinoides*, fishery in the State of Kerala, India,” by N. Suja and K. S. Mohamed, 3:48–61
- Bobtail, greater shining
deep-water bottom trawl survey, 4:20–25
- Bonnethead
bycatch in U.S. Atlantic bottom longline fishery, 2002–06, 2:34–38
- Burgess, George—see Morgan et al.
- Butterfish, gulf
deep-water bottom trawl survey, 4:20–25
- Bycatch
bottom longline shark fishery, 2002–06, 2:34–38
platform terminal transmitters/TED interactions, 3:44–47

C

- Caillouet, Charles W., Jr.—see Nance et al.
- Calappa sulcata*—see Crab, yellow box
- Carcharhinus acronotus*—see Shark, blacknose
- Carcharhinus brevipinna*—see Shark, spinner
- Carcharhinus falciformis*—see Shark, silky
- Carcharhinus leucas*—see Shark, bull
- Carcharhinus limbatus*—see Shark, blacktip

- Carcharhinus obscurus*—see Shark, dusky
- Carcharhinus perezil*—see Shark, Caribbean reef
- Carcharhinus plumbeus*—see Shark, sandbar
- Carcharhinus signatus*—see Shark, night
- Carcharias taurus*—see Shark, sand tiger
- Caretta caretta*—see Sea turtle, loggerhead
- Carlson, John—see Morgan et al.
- Catch, historical
gray whale
Baja California shore stations, 1:1–25
California shore stations, 1:1–25
eastern North Pacific, ship-based, 1:26–65
humpback whale
Baja California shore stations, 1:1–25
North Atlantic Ocean, 3:1–43
- Clam, black
biology, 3:51
ecology, 3:51
fishermen, 3:51–52
fishery, 3:52–53
fishing methods, 3:53–55
habitat, 3:48–51
marketing
cooked meats, 3:56–57
shells, 3:57–58
processing, 3:55–56
shell mining, 3:58–59
- Clay, Patricia M.—see Abbott-Jamieson and Clay
- Cobia
bycatch in U.S. Atlantic bottom longline fishery, 2002–06, 2:34–38
- “Commercial whaling, especially for gray whales, *Eschrichtius robustus*, and humpback whales, *Megaptera novaeangliae*, at California and Baja California shore stations in the 19th century (1854–1899),” by Randall R. Reeves and Tim D. Smith, 1:1–25
- Congridae—see Eel, conger
- Crab
longspine swimming
deep-water bottom trawl survey, 4:20–25
stilt spider
deep-water bottom trawl survey, 4:20–25

- swimming
bycatch in U.S. Atlantic bottom longline fishery, 2002–06, 2:34–38
- tenspine spider
deep-water bottom trawl survey, 4:20–25
- yellow box
deep-water bottom trawl survey, 4:20–25
- Croaker, Atlantic
deep-water bottom trawl survey, 4:20–25
- Cutlassfish, Atlantic
deep-water bottom trawl survey, 4:20–25

D–E

- Dasyatis americana*—see Stingray, southern
- Dasyatis centroura*—see Stingray, roughtail
- Delphinus* spp.—see Dolphin, common
- Dogfish
smooth
bycatch in U.S. Atlantic bottom longline fishery, 2002–06, 2:34–38
- spiny
bycatch in U.S. Atlantic bottom longline fishery, 2002–06, 2:34–38
- Dolphin
bottlenose
central California survey, 1967–2007, 4:1–19
- common
central California survey, 1967–2007, 4:1–19
- northern right whale
central California survey, 1967–2007, 4:1–19
- Pacific white-sided
central California survey, 1967–2007, 4:1–19
- Risso’s
central California survey, 1967–2007, 4:1–19
- Drum, red
bycatch in U.S. Atlantic bottom longline fishery, 2002–06, 2:34–38
- Echeneis* sp.—see Sharksucker
- Eel
conger
bycatch in U.S. Atlantic bottom longline fishery, 2002–06, 2:34–38
- king snake
bycatch in U.S. Atlantic bottom longline fishery, 2002–06, 2:34–38
- Epinephelus itajara*—see Grouper, goliath
- Epinephelus morio*—see Grouper, red
- Epinephelus niveatus*—see Grouper, snowy
- Eschrichtius robustus*—see Whale, gray
- Etrumeus teres*—see Herring, round

F

- Farfantepenaeus aztecus*—see Shrimp, brown

Fisheries management
 NMFS social science history, 2:14–33
 platform terminal transmitters/TED interactions, 3:44–47
 white shrimp, 2:1–13

Fisheries history
 gray whale catches
 Baja California shore stations, 1:1–25
 California shore stations, 1:1–25
 eastern North Pacific, ship-based, 1:26–65
 humpback whale catches
 Baja California shore stations, 1:1–25
 California shore stations, 1:1–25
 North Atlantic Ocean, 3:1–43
 National Marine Fisheries Service, NOAA sociocultural analysis, 2:14–33

Fisheries, commercial
 black clam, 3:48–61
 historical whaling, 1:1–65
 sablefish, 4:26–35

“Fishery-independent bottom trawl surveys for deep-water fishes and invertebrates of the U.S. Gulf of Mexico, 2002–08,” by Mark A. Grace, Brandi Noble, Walter Ingram, Adam Pollack, and Alonzo Hamilton, 4:20–25

Ford, Travis—see Morgan et al.

“Forty years of winter: Cetaceans observed during the southbound migration of gray whales, *Eschrichtius robustus*, near Granite Canyon, central California,” by Kim E.W. Shelden and David J. Rugh, 4:1–19

G–H

Gag
 bycatch in U.S. Atlantic bottom longline fishery, 2002–06, 2:34–38

Galeocerdo cuvier—see Shark, tiger

Gear
 black clam fishery, 3:53–56
 platform terminal transmitters/TED interactions, 3:44–47

Ginglymostoma cirratum—see Shark, nurse

Grace, Mark A., Brandi Noble, Walter Ingram, Adam Pollack, and Alonzo Hamilton, “Fishery-independent bottom trawl surveys for deep-water fishes and invertebrates of the U.S. Gulf of Mexico, 2002–08,” 4:20–25

Grampus griseus—see Dolphin, Risso’s

Grouper
 black
 bycatch in U.S. Atlantic bottom longline fishery, 2002–06, 2:34–38
 goliath
 bycatch in U.S. Atlantic bottom longline fishery, 2002–06, 2:34–38

red
 bycatch in U.S. Atlantic bottom longline fishery, 2002–06, 2:34–38

snowy
 bycatch in U.S. Atlantic bottom longline fishery, 2002–06, 2:34–38

Habitat
 black clam, 3:48–51

Hale, Loraine—see Morgan et al.

Hamilton, Alonzo—see Grace et al.

Hammerhead
 great
 bycatch in U.S. Atlantic bottom longline fishery, 2002–06, 2:34–38
 scalloped
 bycatch in U.S. Atlantic bottom longline fishery, 2002–06, 2:34–38

Hart, Rick A.—see Nance et al.

Herring, round
 deep-water bottom trawl survey, 4:20–25

Higgins, Benjamin M.—see Seney et al.

“Historical catches of humpback whales, *Megaptera novaeangliae*, in the North Atlantic Ocean: Estimates of landings and removals,” by Tim D. Smith and Randall R. Reeves, 3:1–43

History—see Fisheries history

I–J–K

Illex coindetti—see Squid, southern shortfin

Illex oxygonius—see Squid, sharptail shortfin

Ingram, Walter—see Grace et al.

“Interactions between platform terminal transmitters and turtle excluder devices,” by Erin E. Seney, Benjamin M. Higgins, and Andre M. Landry, Jr., 3:44–47

Josephson, Elizabeth A.—see Reeves et al.

Karinen, John F., Harold J. Barnett, and Michele Masuda, “Soft flesh in sablefish, *Anoplopoma fimbria*, of southeastern Alaska: Relationships with depth, season, and biochemistry,” 4:26–35

L

Lagenorhynchus obliquidens—see Dolphin, Pacific white-sided

Lagodon rhomboides—see Pinfish

Landings
 humpback whale
 historical in North Atlantic Ocean, 3:1–43
 white shrimp size-composition, 2:1–13

Landry, Andre M., Jr.—see Seney et al.

Lebo, Susan A.—see Reeves et al.

Lepidochelys kempii—see Sea turtle, Kemp’s ridley

Lissodelphis borealis—see Dolphin, northern right whale

Litopenaeus setiferus—see Shrimp, white

Lizardfish, shortjaw
 deep-water bottom trawl survey, 4:20–25

Loligo pealeii—see Squid, longfin

Loligo plei—Squid, arrow

“The long voyage to including sociocultural analysis in NOAA’s National Marine Fisheries Service,” by Susan Abbott-Jamieson and Patricia M. Clay, 2:14–33

Lund, Judith N.—see Reeves et al.

Lutjanus analis—see Snapper, mutton

Lutjanus campechanus—see Snapper, red

M–N

Masuda, Michele—see Karinen et al.

Megalops atlanticus—see Tarpon

Megaptera novaeangliae—see Whale, humpback

Micropogonias undulatus—see Croaker, Atlantic

Mobula hypostoma—see Ray, devil

Mohamed, K. S.—see Suja and Mohamed

Morgan, Alexia, John Carlson, Travis Ford, Laughling Sicheloff, Loraine Hale, Mike S. Allen, and George Burgess, “Temporal and spatial distribution of finfish bycatch in the U.S. Atlantic bottom longline shark fishery,” 2:34–38

Mustelis canis—see Dogfish, smooth

Mycteroperca bonaci—see Grouper, black

Mycteroperca microlepis—see Gag

Nance, James M., Charles W. Caillouet Jr., and Rick A. Hart, “Size-composition of annual landings in the white shrimp, *Litopenaeus setiferus*, fishery of the northern Gulf of Mexico, 1960–2006: Its trends and relationships with other fishery-dependent variables,” 2:1–13

National Marine Fisheries Service, NOAA sociocultural analysis, 2:14–33

Negaprion brevirostris—see Shark, lemon

“Nineteenth-century ship-based catches of gray whales, *Eschrichtius robustus*, in the eastern North Pacific,” by Randall R. Reeves, Tim D. Smith, Judith N. Lund, Susan A. Lebo, and Elizabeth A. Josephson, 1:26–65

Noble, Brandi—see Grace et al.

O–P–R

Octopus vulagris—see Octopus, common

Octopus, common
 deep-water bottom trawl survey, 4:20–25

Ophichthus rex—see Eel, king snake

Orcinus orca—see Whale, killer

Parapenaeus politus—see Shrimp, rose

Penaeopsis serrata—see Shrimp, pink-speckled

Peprilus burti—see Butterfish, gulf

Phocoena phocoena—see Porpoise, harbor

Phocoenoides dalli—see Porpoise, Dall's
Pholidoteuthis adami—see Squid, pink scaled
 Pinfish
 deep-water bottom trawl survey, 4:20–25
Pleoticus rodustus—see Shrimp, royal red
 Pollack, Adam—see Grace et al.
 Porgy, longspine
 deep-water bottom trawl survey, 4:20–25
 Porpoise
 Dall's
 central California survey, 1967–2007, 4:1–19
 harbor
 central California survey, 1967–2007, 4:1–19
 Portunidae—see Crabs, swimming
Portunus spinicarpus—see Crab, longspine swimming
Pristipomoides aquilonaris—see Wenchmen
Rachycentron canadum—see Cobia
Raja eglanteria—see Skate, clearnose
 Ray

cownose
 bycatch in U.S. Atlantic bottom long-line fishery, 2002–06, 2:34–38
 devil
 bycatch in U.S. Atlantic bottom long-line fishery, 2002–06, 2:34–38
 spotted eagle
 bycatch in U.S. Atlantic bottom long-line fishery, 2002–06, 2:34–38
 Reeves, Randall R.—see Smith and Reeves
 Reeves, Randall R., and Tim D. Smith, “Commercial whaling, especially for gray whales, *Eschrichtius robustus*, and humpback whales, *Megaptera novaeangliae*, at California and Baja California shore stations in the 19th century (1854–1899),” 1:1–25
 Reeves, Randall R., Tim D. Smith, Judith N. Lund, Susan A. Lebo, and Elizabeth A. Josephson, “Nineteenth-century ship-based catches of gray whales, *Eschrichtius robustus*, in the eastern North Pacific,” 1:26–65
Rhinoptera bonasus—see Ray, cownose
Rhizoprionodon terraenovae—see Shark, sharpnose
 Rugh, David J.—see Shelden and Rugh

S

Sablefish
 flesh quality, 4:26–35
Saurida normani—see Lizardfish, shortjaw
 Scad, rough
 deep-water bottom trawl survey, 4:20–25
 Scallop, paper
 deep-water bottom trawl survey, 4:20–25
Sciaenops ocellatus—see Drum, red

Sea turtle
 Kemp's ridley
 platform terminal transmitter/TED interactions, 3:44–47
 loggerhead
 platform terminal transmitter/TED interactions, 3:44–47
Semirossia equalis—see Bobtail, greater shining
 Seney, Erin E., Benjamin M. Higgins, and Andre M. Landry, Jr., “Interactions between platform terminal transmitters and turtle excluder devices,” 3:44–47
 Shark
 Atlantic angel
 deep-water bottom trawl survey, 4:20–25
 blacknose
 bycatch in U.S. Atlantic bottom long-line fishery, 2002–06, 2:34–38
 blacktip
 bycatch in U.S. Atlantic bottom long-line fishery, 2002–06, 2:34–38
 bull
 bycatch in U.S. Atlantic bottom long-line fishery, 2002–06, 2:34–38
 Caribbean reef
 bycatch in U.S. Atlantic bottom long-line fishery, 2002–06, 2:34–38
 dusky
 bycatch in U.S. Atlantic bottom long-line fishery, 2002–06, 2:34–38
 lemon
 bycatch in U.S. Atlantic bottom long-line fishery, 2002–06, 2:34–38
 night
 bycatch in U.S. Atlantic bottom long-line fishery, 2002–06, 2:34–38
 nurse
 bycatch in U.S. Atlantic bottom long-line fishery, 2002–06, 2:34–38
 sandbar
 bycatch in U.S. Atlantic bottom long-line fishery, 2002–06, 2:34–38
 sand tiger
 bycatch in U.S. Atlantic bottom long-line fishery, 2002–06, 2:34–38
 sharpnose
 bycatch in U.S. Atlantic bottom long-line fishery, 2002–06, 2:34–38
 silky
 bycatch in U.S. Atlantic bottom long-line fishery, 2002–06, 2:34–38
 spinner
 bycatch in U.S. Atlantic bottom long-line fishery, 2002–06, 2:34–38
 tiger
 bycatch in U.S. Atlantic bottom long-line fishery, 2002–06, 2:34–38

Sharksucker
 bycatch in U.S. Atlantic bottom longline fishery, 2002–06, 2:34–38
 Shelden, Kim E.W., and David J. Rugh, “Forty years of winter: Cetaceans observed during the southbound migration of gray whales, *Eschrichtius robustus*, near Granite Canyon, central California,” 4:1–19
 Shrimp
 brown
 deep-water bottom trawl survey, 4:20–25
 brown rock
 deep-water bottom trawl survey, 4:20–25
 humpback
 deep-water bottom trawl survey, 4:20–25
 pinkspeckled
 deep-water bottom trawl survey, 4:20–25
 rose
 deep-water bottom trawl survey, 4:20–25
 royal red
 deep-water bottom trawl survey, 4:20–25
 white
 landings size-composition, 2:1–13
 Siceloff, Laughling—see Morgan et al.
Sicyonia brevirostris—see Shrimp, brown rock
 “Size-composition of annual landings in the white shrimp, *Litopenaeus setiferus*, fishery of the northern Gulf of Mexico, 1960–2006: Its trends and relationships with other fishery-dependent variables,” by James M. Nance, Charles W. Caillouet, Jr., and Rick A. Hart, 2:1–13
 Skate, clearnose
 bycatch in U.S. Atlantic bottom longline fishery, 2002–06, 2:34–38
 Smith, Tim D.—see Reeves and Smith
 Smith, Tim D.—see Reeves et al.
 Smith, Tim D., and Randall R. Reeves, “Historical catches of humpback whales, *Megaptera novaeangliae*, in the North Atlantic Ocean: Estimates of landings and removals,” 3:1–43
 Snapper
 mutton
 bycatch in U.S. Atlantic bottom long-line fishery, 2002–06, 2:34–38
 red
 bycatch in U.S. Atlantic bottom long-line fishery, 2002–06, 2:34–38
 “Soft flesh in sablefish, *Anoplopoma fimbria*, of southeastern Alaska: Relationships with depth, season, and biochem-

istry,” by John F. Karinen, Harold J. Barnett, and Michele Masuda, 4:26–35

Solenocera vioscai—see Shrimp, humpback

Sphyma lewini—see Hammerhead, scalloped

Sphyrna barracuda—see Barracuda, great

Sphyrna mokarran—see Hammerhead, great

Sphyrna tiburo—see Bonnethead

Squalus acanthias—see Dogfish, spiny

Squatina dumerili—see Shark, Atlantic angel

Squid

arrow

deep-water bottom trawl survey, 4:20–25

longfin

deep-water bottom trawl survey, 4:20–25

pink scaled

deep-water bottom trawl survey, 4:20–25

sharptail shortfin

deep-water bottom trawl survey, 4:20–25

southern shortfin

deep-water bottom trawl survey, 4:20–25

Stenocionops spinosissimus—see Crab, ten-spine spider

Stenotomus caprinus—see Porgy, longspine

Stingray

rougetail

bycatch in U.S. Atlantic bottom long-line fishery, 2002–06, 2:34–38

southern

bycatch in U.S. Atlantic bottom long-line fishery, 2002–06, 2:34–38

Suja, N., and K. S. Mohamed, “The black clam, *Villorita cyprinoides*, fishery in the State of Kerala, India,” 3:48–61

Surveys

central California cetacean, 1967–2007, 4:1–19

fishery-independent bottom trawl, U.S. Gulf of Mexico

deep-water fishes, 4:20–25

invertebrates, 4:20–25

T–V–W

Tarpon

bycatch in U.S. Atlantic bottom long-line fishery, 2002–06, 2:34–38

“Temporal and spatial distribution of fin-fish bycatch in the U.S. Atlantic bottom longline shark fishery,” by Alexia Morgan, John Carlson, Travis Ford, Laughling Siceloff, Loraine Hale, Mike S. Allen, and George Burgess, 2:34–38

Tona galea—see Tun, giant

Trachurus lathami—see Scad, rough

Trichiurus lepturus—see Cutlassfish, Atlantic

Tun, giant

deep-water bottom trawl survey, 4:20–25

Tursiops truncatus—see Dolphin, bottle-nose

Villorita cyprinoides—see Clam, black

Wenchmen

deep-water bottom trawl survey, 4:20–25

Whale

blue

central California survey, 1967–2007, 4:1–19

gray

southbound migration census, 1967–2007, 1:1–19

humpback

central California survey, 1967–2007, 4:1–19

historical commercial landings, 1:1–65; 3:1–43

killer

central California survey, 1967–2007, 4:1–19

minke

central California survey, 1967–2007, 4:1–19

Papers in the *Marine Fisheries Review* 72(1–4), 2010

72(1)

“Commercial whaling, especially for gray whales, *Eschrichtius robustus*, and humpback whales, *Megaptera novaeangliae*, at California and Baja California shore stations in the 19th century (1854–1899),” by Randall R. Reeves and Tim D. Smith, 1:1–25

“Nineteenth-century ship-based catches of gray whales, *Eschrichtius robustus*, in the eastern North Pacific,” by Randall R. Reeves, Tim D. Smith, Judith N. Lund, Susan A. Lebo, and Elizabeth A. Josephson, 1:26–65

72(2)

“Size-composition of annual landings in the white shrimp, *Litopenaeus setiferus*, fishery of the northern Gulf of Mexico,

1960–2006: Its trends and relationships with other fishery-dependent variables,” by James M. Nance, Charles W. Caillouet, Jr., and Rick A. Hart, 2:1–13

“The long voyage to including sociocultural analysis in NOAA’s National Marine Fisheries Service,” by Susan Abbott-Jamieson and Patricia M. Clay, 2:14–33

“Temporal and spatial distribution of finfish bycatch in the U.S. Atlantic bottom long-line shark fishery,” by Alexia Morgan, John Carlson, Travis Ford, Laughling Siceloff, Loraine Hale, Mike S. Allen, and George Burgess, 2:34–38

72(3)

“Historical catches of humpback whales, *Megaptera novaeangliae*, in the North Atlantic Ocean: Estimates of landings

and removals,” by Tim D. Smith and Randall R. Reeves, 3:1–43

“Interactions between platform terminal transmitters and turtle excluder devices,” by Erin E. Seney, Benjamin M. Higgins, and Andre M. Landry, Jr., 3:44–47

“The black clam, *Villorita cyprinoides*, fishery in the State of Kerala, India,” by N. Suja and K. S. Mohamed, 3:48–61

72(4)

“Forty years of winter: Cetaceans observed during the southbound migration of gray whales, *Eschrichtius robustus*, near Granite Canyon, central California,” by Kim E.W. Shelden and David J. Rugh, 4:1–19

“Fishery-independent bottom trawl surveys for deep-water fishes and invertebrates of the U.S. Gulf of Mexico, 2002–08,” by Mark A. Grace, Brandi Noble, Walter Ingram, Adam Pollack, and Alonzo Hamilton, 4:20–25

“Soft flesh in sablefish, *Anoplopoma fimbria*, of southeastern Alaska: Relationships with depth, season, and biochemistry,” by John F. Karinen, Harold J. Barnett, and Michele Masuda, 4:26–35