



Supplementary Figure 8. Average monthly counts of Steller sea lions (*Eumetopias jubatus*) by age and sex at Tatoosh Island East (48.394° N, 124.731° W) from 2010 through 2013. Pups are individuals from birth through 11 months of age. Juveniles are individuals from 1 year to roughly 5 years of age. Adult males and females are individuals that clearly have secondary sexual characteristics or are accompanied by a pup.




Supplementary Figure 9. Average monthly counts of Steller sea lions (*Eumetopias jubatus*) by age and sex at Tatoosh Island Cut from 2010 through 2013. Tatoosh Island Cut is composed of 2 sub-haul-out sites: the first is located on a ledge on the north side of Tatoosh Island (48.395° N, 124.738° W), and the second is located on a reef west of Tatoosh Island (48.392°, 124.744° W). Pups are individuals from birth through 11 months of age. Juveniles are individuals from 1 year to roughly 5 years of age. Adult males and females are individuals that clearly have secondary sexual characteristics or are accompanied by a pup.

### Guano Rock




Supplementary Figure 10. Average monthly counts of Steller sea lions (*Eumetopias jubatus*) by age and sex at Guano Rock (48.182° N, 124.742° W) from 2010 through 2013. Pups are individuals from birth through 11 months of age. Juveniles are individuals from 1 year to roughly 5 years of age. Adult males and females are individuals that clearly have secondary sexual characteristics or are accompanied by a pup.


### East Bodelteh Island




Supplementary Figure 11. Average monthly counts of Steller sea lions (*Eumetopias jubatus*) by age and sex at East Bodelteh Island (48.175° N, 124.758° W) from 2010 through 2013. Pups are individuals from birth through 11 months of age. Juveniles are individuals from 1 year to roughly 5 years of age. Adult males and females are individuals that clearly show secondary sexual characteristics or are accompanied by a pup.



Supplementary Figure 12. Average monthly counts of Steller sea lions (*Eumetopias jubatus*) by age and sex at West Bodelteh Island (48.178° N, 124.771° W) from 2010 through 2013. Pups are individuals from birth through 11 months of age. Juveniles are individuals from 1 year to roughly 5 years of age. Adult males and females are individuals that clearly have secondary sexual characteristics or are accompanied by a pup.



Supplementary Figure 13. Average monthly counts of Steller sea lions (*Eumetopias jubatus*) by age and sex at Carroll Island (48.005° N, 124.724° W) from 2010 through 2013. Pups are individuals from birth through 11 months of age. Juveniles are individuals from 1 year to roughly 5 years of age. Adult males and females are individuals that clearly have secondary sexual characteristics or are accompanied by a pup.



Supplementary Figure 14. Average monthly counts of Steller sea lions (*Eumetopias jubatus*) by age and sex at Sea Lion Rock (47.991° N, 124.727° W) from 2010 through 2013. Pups are individuals from birth through 11 months of age. Juveniles are individuals from 1 year to roughly 5 years of age. Adult males and females are individuals that clearly have secondary sexual characteristics or are accompanied by a pup.