
Fishery Leaflet 261

Chicago 54, Ill.

August 1947

A PARTIAL BIBLIOGRAPHY RELATING TO AGAR

By Leonard S. Stoloff,
Former Chemist, Division of Commercial Fisheries

The following bibliography on the subjects relating to agar was completed during a wartime assignment to search for new sources of agar-like gums from domestic seaweeds. It is not complete, but covers the literature available in the Washington, D. C., area at the time.

Alleger, W. W.

1899. Preparation of agar.
J. Roy. Microscop. Soc. 543-544.

Anon.

1907. The food value of vegetable "gelatins".
J. Am. Med. Assoc. 48: 142-143.

Anon.

1921. The Japanese agar industry.
Farben. Ztg. 26: 1849.

Anon.

1927. Methods of manufacturing agar in Japan.
U. S. Commerce Reports Oct. 10. Chemist and Druggist 108: 668 (1928).

Anon.

1930. Publications on seaweeds.
U. S. Bureau of Fisheries, Fishery Industries, Special Memorandum 2315.

Anon.

1940. Migration of iron and manganese in colloidal systems.
Ill. Agr. Expt. Sta. Bull. 472: 103-143.

Anon.

1941. Seaweed to the rescue.
Fisheries News-Letter, Division of Fisheries, Australia,
Council of Sci. and Ind. Research, 1: 11.

Anon.

1942. Substitute for agar.
Foreign Commerce Weekly Oct. 17, p. 22.
U. S. Department of Commerce.

Note: Many of the publications listed may be consulted in, or borrowed through, university and public libraries; others can be obtained by communicating with the publishers or the issuing institution.

Araki, C.
1937. Agar I. Chemical changes in the process of preparation of agar.
J. Chem. Soc. Japan 58: 1085-1088.

Atsuki, K.
1922. Agar.
Japanese 42, 126. March 29 (patent)

Ayers, S. H., Mudge, C. S. and Rupp, P.
1920. The use of washed agar in culture media.
J. Bact. 5: 589-596.

Baier, W. E. and Manchester, T. C.
1943. Research finds substitute for bacteriological agar.
Food Industries 15: no. 7, 94-96.

Banerji, S. N. and Ghosh S.
1939. Changes in the viscosity of agar solutions with concentration.
Proc. Natl. Acad. Sci., India 9: 144-147.

Banerji, S. N. and Ghosh, S.
1939. Changes in the viscosity of agar sols with temperature.
Proc. Natl. Acad. Sci., India 9: 148-153.

Barry, V. C., Dillon, T. and McGettrick, W.
1942. Periodic acid as a test for the constitution of polysaccharides.
J. Chem. Soc. 183-185.

Bauer, R. W.
1885. Ueber den aus Agar-agar entstehenden Zucker, über eine neue Saure aus der Arabionose nebst dem Versuch einer Classification der gallertdilgenden Kohlehydrate nach den aus ihnen entstehenden Zuckerarten.
J. Prakt. Chem. 30: 367-388.

Bauder, C. S.
1920. Agar-agar to be manufactured in Southern California.
California Fish and Game, 6: no. 1, 31-32.

Bechold H. and Ziegler, J.
1906. Die Beeinflussbarkeit der Diffusion in Gallerten.
Z. Physik. Chem. 56: 106-121.

Becker, J.
1929. Means and method of dehydrating flaked agar or the like.
U. S. 1,703,654. February 26 (patent)
Agar product and method of producing the same. U.S. 1,712,785. May 14.

Becker, J.
1929. Dewaterer for flaked agar or the like.
U. S. 1,726,942. September 3. (patent)

Bissiere.
1907. Procede simple et rapides de preparation des milieux geloses et gelatines.
Ann. Inst. Pasteur 21: 235-236.

Bleisch, M.

1895. Ein Apparat zur Gewinnung klaren Agars ohne Filtration.
Centr. Bakt. 17, Abt. 1, 360.

Blundell, G. P.

1943. Simple procedure for recovery of agar.
Science 97: 76.

Bradford, S. C.

1923. On the theory of gels.
Biochem. J. 17: 230-239.

Braun, A. (to Westinghouse Lamp Co.)

1922. Wire drawing lubricant.
U. S. 1,409,658. March 14. (Patent)

Brodie, J. and Stiven, D.

1942. Reclamation of used agar.
J. Hyg. 42: 498-499.

Brown, O. H. and Sweek, W. O.

1917. Liquid agar-agar in constipation.
J. Am. Med. Assoc. 69: 467.

Browne, C. A.

1922. Moisture absorptive power of different sugars and carbohydrates under varying conditions of atmospheric humidity.
Ind. Eng. Chem. 14: 712-714.

Buchner, E. H. and Kleijn, D.

1927. The flocculation of agar sols through salt mixtures.
Proc. Sect. of Sci., Roy. Acad. Sci., Amsterdam 30: 740-742.

Bugenbergs de Jong, H. G.

1928. Die Viscositatsanderungen bei Beginn der Gelatinierung von verdunnten Agar Solen.
Rec. Trav. Chim. 47: 797-818.

Bugenbergs de Jong, H. G.

1929. Zur Kenntnis der lyophilen Kolloide. Kapillarelektrische Ladung und Hydratation als Zustandvariable der hydrophilen Gele: Reversible Volumanderungen des Agargels.
Kolloidch. Beheifte 29: 454-483.

Cameron, F. K., Moore R. B. et al.

1912. Fertilizer resources of the United States.
Senate Document 190 P. 257. read Dec. 18, 1911 to 62nd Congress,
2nd session. Transmitted from Sec'y. of Agriculture.

Carey, C. L.

1921. On the gross structure of an agar gel.
Bull. Torrey Botan. Club 48: 173-182.

Charitchkova, K.

1920. About Vinkelbleck's phenomenon or pseudo-extraction and its significance for colloid chemistry (new methods for extraction of solid bodies).
J. Russ. Phys. Chem. Soc. 52: 96-107.

Cheesman, T. L.

1888. Preparation of nutrient gelatin and agar.
Amer. Nat. 22: 472-473.

Cioglia, L.

1940. The occurrence of agar in inland algae.
Chem. Zentr. II, 916.

Clarke, B. L.

1925. Studies in swelling. The swelling of agar-agar gels as a function of water content before swelling.
J. Am. Chem. Soc. 47: 1954-1958.

Clayton, Wm.

1932. Colloid aspects of food chemistry and technology.
Philadelphia. pp. 5-21.

Cooper, W. F., Nuttall, W. H., and Freak, G. A.

1909. The use of agar-agar in photography.
7th Int. Cong. of Applied Chem., Section IX 62-72.

Cunningham, J.

1919. Note on the preparation of a purified agar powder with increased powers of filtration.
Ind. J. Med. Research 6: 560-568.

Dahlberg, A. C.

1927. A new method of manufacturing cream cheese of the neufchatel type.
J. Dairy Sci. 10: 106-116.

Dai Nippon Seiyaku.

1933. Powdered agar.
Japanese 99,061 January 16. (Patent)

Danilova, V. V.

1934. Purifying agar.
Russian 35,935 April 30. (Patent)

Day, D.

1942. Thiamine content of agar.
Bull. Torrey Botan. Club 69: 11-20.

Delf, E. M.

1940. Seaweeds and their uses.
South-Eastern Naturalist 45: 1.

Dokan, S.

1924. Die Wirkung der Elektrolyte auf die Quellung des Agar.
Kolloid Z. 34: 155-161.

Donnan, F. G., and Krishnamurti, K.

1929. The scattering of light in sols and gels.
Colloid Symp. Annual 7: 1-16.

Drigalski, V.

1906. Ein Schnellfilter fur Agarlosungen.
Centr. Bakt. 41: Abt. 1, 298-301.

Effront, J.

1925. Sur le pouvoir absorbant de l'agar-agar.
Compt. Rend. Acad. Sci. 180: 29-33.

Einhorn, M.

1912. On agar as a vehicle in intestinal therapeutics.
Am. J. of the Med. Sci. 143: 230-232.
Berliner Klin. Wochenschr. 49: 113-114.

Elin, V.

1932. Agar-agar from Phylophora rubra of the Black Sea.
Vrach. delo. 15: 186-190.

Fairbrother, F. and Maston, H.

1923. The swelling of agar-agar.
J. Chem. Soc. 123: 1412-1424.

Fellers, C. R.

1916. Analysis, purification and some chemical properties of agar.
Ind. Eng. Chem. 8: 1128-1133.

Fellers, C. R.

1916. Some bacteriological studies on agar agar.
Soil Sci. 2: 255-290.

Fellers, C. E.

1917. The nutritive value of agar agar and its use as a jellifying medium.
Pure Products 13: 177-185.

Fernau, A.

1920. Uber Wirkungen der Radiumstrahlung auf Rohrzucker und Agar.
Biochem. Z. 102: 246-250.

Field, I. A.

1921. Sources, preparation and properties of algal gelatins.
Chem. Age (N.Y.) 29: 485-486.
Economic circular no. 51 Oct. 10 from Bu. of Fisheries.

Fischer, H.

1904. Ein einfaches Verfahren, Nahragar ohne Filtration zu klaren.
Centr. Bakt. 35: Abt. 1, 527.

Forbes, E. B., Beegle, F. M. and Mensching, J. E.

1913. Mineral and organic analysis of foods.

Bull. of the Ohio Agr. Exp. Sta. no. 255, pp. 211-231.

Forbes, I. A. and Percival, E. G. V.

1939. Studies on agar-agar. Part II. The isolation of derivatives of 3:6-anhydro-1-galactose from agar and the synthesis of their enantiomorphs.

J. Chem. Soc. 155: 1844-1849.

Foster, A. W.

1918. Periodic precipitation.

Trans. Roy. Soc. Canada 12: III, 55-58.

Fraenkel, A.

1886. Bakteriologische Mitteilungen.

Ztschr. Klin. Med. 10: 401-461.

Free, E. E.

1917. Note on the swelling of gelatin and agar gels in solutions of sucrose and dextrose.

Science 46: 142-143.

Freundenreich, E. von.

1888. Die Bereitung des Nahragar.

Centr. Bakt. 3, Abt. 1, 797-798.

Friedman, L.

1930. Structure of agar gels from studies of diffusion.

J. Am. Chem. Soc. 52: 1311-1314.

Funck, E.

1937. Substitution of pectin for agar in bacteriological media.

Klin. Wochschr. 16: 1546.

Ghosh, S.

1933. Hysteresis of the sol-gel transformation of agar sols.
Chemical Abstracts 27: 10.

Goresline, H. E.

1932. Agar digesting bacteria.

Science 76: 255.

Gran, H. H.

1902. Die Hydrolyse des Agars durch ein Enzym.

Centr. Bakt. 9, Abt. 2, 562-563.

Gryuner, V. S.

1934. Agar: production and uses.

Chemical Abstracts 28: 3846⁴.

Gryuner, V. and Gorshkov, I.

1937. The influence of temperature and duration of freezing of agar gels from the seaweed Ahnfeltia plicata on the character of the freezing.
J. Applied Chem. (USSR) 10: 2054-2063.

- Haegler, S.
1895. Zur Agarbereitung.
Centr. Bakt. 17: Abt. 1, 558.
- Hagerdon, M. (to I. G. Farbenindustrie Aktiengesellschaft)
1935. Manufacture of esters of polymerized carbohydrates.
U. S. 1,994,608 March 19. (Patent)
- Halliday, T. W.
1940. Method for preparing agar-agar flakes.
U. S. 2,200,744 May 14. (Patent)
- Hands, S. and Peat, S.
1938. Isolation of an anhydro l-galactose derivative from agar.
Nature 142: 797.
- Hands, S. and Peat, S.
1938. The presence of anhydro l-galactose in agar-agar.
J. Soc. Chem. Ind. 57: 937-938.
- Hardy, W. B.
1900. Über den Mechanismus der Erstarrung in umkehrbaren Kolloidsystemen.
Z. Physik. Chem. 33: 326-343.
- Hardy, W. B.
1900. On the mechanism of gelation in reversible colloidal systems.
Proc. Royal Soc. London 66: 95-109.
- Harvey, E. H.
1925. The electro-dialysis of agar.
Am. J. Pharm. 97: 66-70.
- Harvey, E. H.
1925. A physico-chemical study of the U.S.P. agar.
Am. J. Pharm. 97: 447-453.
- Hatschek, E. and Humphrey, R. H.
1924. On certain physical differences between sols and gels of agar.
Trans. Faraday Soc. 20: 18-29.
- Healy, D. J.
1926. The exudate from nutrient agar slants - the so-called water of condensation.
J. Bact. 12: 179-180.
- Heesch, K.
1921. Untersuchungen über die Umladbarkeit von Zellen, Zellbestandteilen und Membranen.
Pflugers Archiv. f. d. gesammte Physiol. 190: 198-211.
- Herzfeld, E. and Klinger, R.
1920. Zur Chemie der Polysaccharide.
Biochem. Z. 107: 268-294.

Hesse, F.

1897. Ueber die Verwendung von Nahragar zu Wasseruntersuchungen.
Centr. Bakt. 21: Abt. 1, 932.

Hoffman, W. F. and Gortner, R. A.

1925. The electrodialysis of agar. A method for the preparation of the
free agar acid.
J. Biol. Chem. 65: 371-379.

Holman, W. L.

1912. Rapid filtration of agar and gelatin.
J. Infectious Diseases 10: 129-133.

Hummer, H. J.

1942. Seaweeds at Beaufort, N. C. as a source of agar.
Science 96: 230-231.

Isaac, W. E.

1937. Studies of South African seaweed vegetation I. West Coast from
Lamberts Bay to the Cape of Good Hope.
Trans. Roy. Soc. S. A. 25: 115-151.

Isaac, W. E.

1942. Seaweeds of possible economic importance in the Union of South Africa
The J. of S.A. Bot. July pp. 225-236.

Isaac, W. E., Finlayson, M. H. and Simon, M. G.

1943. Agar from South African seaweeds.
Nature 151: 532.

Itano, A.

1934. General survey and investigation of agar.
Chemical Abstracts 28: 3846².

Itano, A. and Tsuji, Y.

1934. Agar. Physicochemical properties of agar and their influence on the
growth of microorganisms.
Bull. Agr. Chem. Soc. Japan 10: 111-112.

Itano, A. and Yasuhiko, T.

1939. Agar IV. Influence of various chemicals on the melting point,
solidity, pH values and hydrolysis of agar.
Chemical Abstracts 33: 6988⁹.

Iwase, K.

1920. On the coagulation of agar-agar hydrosol.
J. Tokyo Chem. Soc. 41: 468-479.

Iwase, E.

1927. Electrical conductivity of the salt solutions containing agar.
Bull. Chem. Soc. Japan 2: 61-65.

anek, A. and Jirgensons, B.

1929. Viscosity of agar and gelatin solutions.
Chemical Abstracts 23: 1799.

ennings, D. S.

1919. The effect of certain colloidal substances on the growth of wheat seedlings.
Soil Sci. 7: 201-215.

ones, W. G. M. and Peat, S.

1942. The constitution of agar.
J. Chem. Soc. 161: 225-231.

izevettter, I. V.

1936. Coagulation of agar from aqueous solutions.
Bull. Far East Branch Acad. Sci. (USSR) no. 21, 85-96.

izevettter, I. V.

1937. Comparative physicochemical characteristics of agars of different origin.
Bull. Far East Branch Acad. Sci. (USSR) no. 26, 53-69.

izevettter, I. V.

1940. Agar-agar.
Russian 57,346 June 30. (Patent)

izevettter, I. V.

1941. The maritime weed Ahnfeltia plicata as raw material for the agar-agar industry.
J. Applied Chem. (USSR) 14: 250-255.

lostermann.

1921. Über Eiweißfreien agar-agar.
Z. Hyg. Infektionskrankh. 94: 262-265.

luge, R.

1897. Eine Praktische Methods zur Herstellung von Agar fur Kulturen.
Ztschr. Angew. Mikr. 2: 237.

och, R.

1881. Zur Untersuchung von pathogenen Organism.
Arb. K. Gsndhtsam 1: 1.

onig, J. and Bettels, J.

1905. Die Kohlenhydrate der Meeresalgen und daraus hergestellter Erzeugnisse.
Z. Unt. Nahr. Genuss. 10: 457-473.

orenzvit, A. A.

1933. Agar.
Russian 31,158 Sept. 30. (Patent)

orenzvit, A.

1935. Technology of agar.
J. Applied Chem. (USSR) 8: 912-918.

- Krishnamurti, K.
1929. Investigations on the scattering of light in colloidal solutions and gels. Part I, agar sol and gel.
Proc. Roy. Soc. A 122: 76-103.
- Kruyt, H. R. and Bugenberg de Jong, H. G.
1928. Zur kenntnis der lyophilen kolloide.
Kolloidchem. beihefte 28: 1-54.
- Kuhn, P and Jost, M.
1916. Procedure for restoring agar so it can be used more than once.
Munchen med. Wchnschr. 63: 1388-1389.
- Kwan, K. and Sakae, N.
1933. Powdered agar.
Japanese 99,998 March 9. (Patent)
- Leclerc, H.
1940. Agar-agar in diet and in therapy.
Presse med. 48: 700.
- Liesegang, R. E.
1919. Die Verflüssigung von Gelatine and Agar durch Kalkslaze.
Farben Ztg. 24: 971-972.
- Lockwood, H. C. and Hayes, R. S.
1931. New method for testing agar and gelatin jellies.
J. Soc. Chem. Ind. 50: 145T-151T.
- Loeper and Barbarin, P.
1916. Agar in antiseptic dressing of wounds.
Paris med. 21: 257-260.
- Loeper, Barbarin and Verpy.
1916. Utilisation de l'agar-agar dans le pansement des plaies.
Compt. Rend. Soc. Biol. 79: 660-662.
- Loewit, M. and Bayer, G.
1913. Die Abspaltung von "Anaphylatoxin" aus Agar (Bordet).
Centr. F. Allg. Path. 24: 745-746.
- London, S.
1897. Schnelle und Leichte Methode zur Bereitung des Nahragars.
Centr. Bakt. 21: Abt. 1, 686.
- Ludtke, M.
1929. Untersuchungen über Agar.
Biochem. Z. 212: 419-429.
- Lundestadt, J.
1929. Several varieties of agar splitting marine bacteria isolated along the Norwegian coast.
Chemical Abstracts 23: 1152⁷.

- MacDougal, D. T.
1921. The action of vitamins, amino compounds and salts on hydration. The action of bases and salts on biocolloids and cell masses. Effects of age and of the inclusion of salts on the heterotropic action of colloidal bodies of cytological interest.
Carnegie Inst. Year Book 20: 51-60.
- MacDougal, D. T.
1921. The action of bases and salts on biocolloids and cell masses.
Proc. Am. Phil. Soc. 60: 15-30.
- MacDougal, D. T.
1924. The arrangement and action of material in the plasmatic layers and cell-walls of plants. Proc. Am. Phil. Soc. 63: 76-93.
- MacDougal, D. T. and Clarke, B. L.
1925. The hydrophilic effect of ions on agar and protoplasmic components.
Science 62: 136-137.
- MacDougal, D. T. and Spoehr, H. A.
1917. The effects of acids and salts on "bio-colloids".
Science 46: 269-272.
- MacDougal, D. T. and Spoehr, H. A.
1918. The effect of organic acids and their amido-compounds on the hydration of agar and on a biocellloid.
Proc. Soc. Exp. Biol. Med. 16: 33-35.
- MacDougal, D. T. and Spoehr, H. A.
1919. The solution and fixation accompanying swelling and drying of biocolloids and plant tissues.
Plant World 22: 129-137.
- MacDougal, D. T. and Spoehr, H. A.
1920. Swelling of agar in solutions of amino acids and related compounds.
Bot. Gaz. 70: 268-278.
- Mackinnon, H. D.
1930. Agar: a colloid of importance.
Food Ind. 2: no. 3, 123-127.
- MacMorine, H. G.
1942. Reclamation of agar.
Can. Pub. Health J. 33: 461-462.
- McCarthy, D. M.
1918. Formaldehyde composition and the preparation thereof.
U. S. 1,265,463. May 7. (Patent)
- McCarthy, D. M.
1918. Formaldehyde composition and the preparation thereof.
U. S. reissue 14,514 August 27. (Patent)
- Malhado, P.
1931. Filtration of agar.
Chemical Abstracts 25: 3209⁴.

Malm, C. J. and Emerson, J. (to Eastman Kodak Co.)

1940. Preparation of esters of agar.

U.S. 2,211,338. August 13. (Patent)

Marshall, C. E. and Bergman, W. E.

1942. The electrochemical properties of mineral membranes.

J. Phys. Chem. 46: 52-61.

Matsuim, H.

1916. Chemical studies on some marine algae, chief material of "Kanten".

J. Coll. Agr., Tokyo Imp. Univ. 5: no 4, 413-417,

Matsuoka, C.

1921. Process for making agar-agar.

U. S. 1,399,539. December 6. (Patent)

Matsuoka, C.

1923. Agar-agar composition and method of producing the same.

U. S. 1,453,848. May 1. (Patent)

Mellon, R. R., Acree, S. F., Avery, P. M. and Slagle, E. A.

1921. The ionization constants of glycerophosphoric acid and their use as buffers especially in culture mediums.

J. Infectious Diseases 29: 1-6.

Mendel, L. B.

1908. Das Verhalten einer unverdaulichen Kohlehydrate im Verdauungstrakt
Zentr. f. d. gesamte Physiol. u. Pathol. des Stoffw. 3: 641-654.

Merck, F., Chemische Fabrik.

1913. Verfahren zur Herstellung eines klarloslichen Agar-agar Präparats.
German 272,145. June 22. (Patent)

Michaelis, L.

1924. General principles of the effects of ions in colloids.

2nd Colloid Symp. Monograph, 15 pp.

Chemical Abstracts 19: 2896.

Miller, R. E. and Rose, S. B.

1939. The influence of agar on mercury antiseptics.

J. Bact. 38: 525-537.

Mitchell, H. S.

1922. Reproduction on "synthetic" diets when purified agar is added to the mixture.

Am. J. Physiol. 62: 557-558.

Moore, L. B.

1941. Agar-agar production in New Zealand.

Bull. Imp. Inst. 39: 355-358.

Moore, L. B.

1941. The economic importance of seaweeds.

Dep't. Sci. Indust. Res. N.Z. Bull. 85, 40 pp.

Moore, V. A.

1890. Preparation of nutritive agar.
Amer. Mo. Micros. J. 11: 115-117.

Morin, H.

1880. Sur la gelose.
Compt. Rend. Acad. Sci. 90: 924-927.

Morse, J. L.

1910. Agar-agar in the treatment of constipation of childhood.
J. Am. Med. Assoc. 55: 934-935.

Neuberg, C. and Ohle, H.

1921. Über einem Schwefelgehalt des Agars.
Biochem. Z. 125: 311-313.

Newcomb, E. L. and Smythe, C. E..

1921. Notes on agar - moisture and ash content.
J. Am. Pharm. Assoc. 10: 524.

Nilson, H. W. and Schaller, J. W.

1941. Nutritive value of agar and Irish moss.
Food Research 6: 461-469.

Novy, F. G.

1899. Nutrient culture media.
J. Appl. Micros. and Lab. Methods 2: no. 1, 235-241.

Novy, F. G. and DeKruif, P. H.

1917. Agar anaphylatoxin: Guinea pig serum.
J. Infectious Diseases 20, 536-565.

Agar anaphylatoxin: Rabbit serum.
J. Infectious Diseases 20: 566-588.

Agar anaphylatoxin: Rat serum.
J. Infectious Diseases 20: 589-617.

Novy, E. G. and DeKruif, P. H.

1917. Effect of intravenous injections of agar.
J. Infectious Diseases 20: 629-656.

Noyes, H. A.

1916. Agar-agar for bacteriological use.
Science 44: 797-798.

Noyes, H. A.

1918. Filtration of agar-agar and gelatin media.
Chemist Analyst. no. 25: 12.

Parkes, A. E.

1921. The detection of agar-agar.
Analyst 46: 239-240.

- Paul, T.
1901. Die Anwendung des Sandes zum schnellen Filtrieren des Nahragars.
Centr. Bakt. 29, Abt. 1, 270-271.
- Pavlov, P. N. and Borshim, M. I.
1936. Improvement of quality of agar.
Chimia 147-152.
Chemical Abstracts 34: 3942, 1940.
- Payen, M.
1859. Sur la gelose et les nids de salangane.
Compt. Rend. Acad. Sci. 49: 521-532.
- Pekelharing, C. A.
1921. Sur le mouvement de la pepsine a travers un gel d'agar agar.
Archiv. Intern. Physiol. 18: 495-508.
Proc. K. Akad. Wetensch. Amsterdam 30: 309-319.
- Percival, E. G. V.
1939. The chemical constitution of agar-agar.
Pharm. J. 142: 189.
- Percival, E. G. V., Munro, J. and Somerville, J. C.
1937. Structure of agar.
Nature 139: 512-513.
- Percival, E. G. V. and Sim, W. S.
1936. Acetylation of agar.
Nature 137: 997-998.
- Percival, E. G. V. and Somerville, J. C.
1937. The acetylation and methylation of agar-agar and the isolation of
2:4:6-trimethyl a-D-galactose of hydrolysis.
J. Chem. Soc. 151: 1615-1619.
- Percival, E. G. V., Somerville, J. C. and Forbes, I. A.
1938. Isolation of an anhydro-sugar derivative from agar.
Nature 142: 797-798.
- Pharmacopoeia of the United States.
- Pietrokowski, G.
1920. Zur elektrolytkombination der Ringerlosung.
Arch. Exp. Path. Pharm. 85: 300-318.
- Pijper, A.
1920. Agar: a fluid medium.
South African Med. Record 17: 372.
J. Am. Med. Assoc. 74: 767.
- Pijper, A. and Kraan, G. J.
1921. Syneresis of agar.
M. J. South Africa 16: 221-228.

- Pirie, N. W.
1936. Chemical methods for detection and rough estimation of agar in biological materials.
Brit. J. Exper. Path. 17: 269-278.
- Pirie, N. W.
1936. The preparation of hepta acetyl dl-galactose by the acetolysis of agar.
Biochem. J. 30: 369-373.
- Popovich, B. I.
1935. Purification of agar.
Russian 44,289. September 30. (Patent)
- Porodko, T.
1908. The filtration of agar through glass wool.
J. Roy. Microscop. Soc. p. 256 (1909).
- Porumbaru, A.
1880. Sur la gelose.
Compt. Rend. Acad. Sci. 90: 1081-1083.
- Prat, S.
1927. Antagonistic salt action in relation to the swelling and dyeing of powdered agar.
Am. J. Botany 14: 167-185.
- Pringsheim, H. and Pringsheim, E.
1910. Ueber die Verwendung von Agar-agar als Energiequelle zur Assimilation des Fufstickstoffs.
Centr. Bakt. 26, Abt. 2, 227-231.
- Rakuzin, M. A.
1917. The chemistry of the Ostromislyensk reaction for albuminous material.
J. Russ. Phys. Chem. Soc. 49: 164-169.
- Rakuzin, M. A.
1923. Betrage zur Kenntnis der negativen Adsorption. Einwirkung von Agar-agar auf Losungen von Chlorammonium.
Biochem. Z. 137: 349-352.
- Reed, M.
1907. The economic seaweeds of Hawaii and their food value.
Annual Rep't. of the Hawaii Agr. Exp. Sta. for 1906. 77-82.
- Reidemeister, W.
1908. Uber den Einfluss von Saureusw. Zusatz auf die Festigkeit des Agars.
Z. Mikr. 25: 42-52.
- Richter, E.
1887. Agar-agar for the cultivation of bacteria.
Berlin Klin. Wchnschr. p. 600.

- Robbins, W. J.
1939. Growth substances in agar.
Am. J. Botany 26: 772-778.
- Robbins, W. J. and Ma, R.
1942. Vitamin deficiencies of Ceratostomella.
Bull. Torrey Botan. Club 69: 184-203.
- Robertson, G. R.
1930. The agar industry in California.
Ind. Eng. Chem. 22: 1074-1077.
- Roe, A. F.
1942. Reclaiming agar for bacteriological use.
Science 96: 23.
- Rogachev, V. I.
1935. Free and bound water in agar gels.
Colloid J. (USSR) 1: 79-90.
- Rosani, K.
1904. Betrag zur Agarbereitung.
Centr. Bakt. 12: Abt. 2, 464.
- Saiki, T.
1906. The digestibility and utilization of some polysaccharide carbohydrates derived from lichens and marine algae.
J. Biol. Chem. 2: 251-265.
- Samec, M. and Ssajevic, V.
1921. Sur la composition de l'agar.
Compt. Rend. Acad. Sci. 173: 1474-1475
- Samec, M. and Ssajevic, V.
1922. Physiko-chemische analyse der Agargallerie.
Kolloidshem. Beihefte 16: 285-300.
- Samec, M. and Ssajevic, V.
1923. Studies in plant colloids - Agar.
Chemical Abstracts 17: 1360⁹.
- Scheffer, V. B.
1943. The commercial importance of seaweed gums in the United States.
Fishery Market News, June 1. Sep. no. 23, 5 pp., U.S. Department of the Interior.
- Schmidt, A. (to Chemische Fabrik Helfenberg, A. G.)
1909. Agar-agar cascara product.
U. S. 943,163. December 14. (Patent)
- Schottelius, M.
1887. Bereitung des Nahragar.
Centr. Bakt. 2: Abt. 1, 1042.

Schutz, J. L.

1892. A rapid method for making agar-agar.
Johns Hopkins Hosp. Bull. 3: 92.

Seltzer, W. (to Kraft-Phenix Cheese Corp.)

1935. Stabilizing material.
U. S. 2,011,594. August 20. (Patent)

Berger.

1916. Die Möglichkeit der Wiedergewinnung bezw. des Wiederbraucharmachens
des fur bakteriologische Zwecke gebrauchten Agar-agar.
Pharm. Zentralhalle 57: 407-410.

Shelezkov, P. S.

1939. Effect of sugars, alcohols, anions of organic acids, and of pH on the
rigidity of agar gels.
Colloid J. (USSR) 5: 733-740.

Shelezkov, P. S.

1939. The relations between freezing out and the concentration of the gels
of agar-agar.
Colloid J. (USSR) 5: 4409-4410.

Shulaman, S. and Kavelashtadt, A. M.

1939. Electrovoluminal effects in gels and sols of agar.
Colloid J. (USSR) 5: 741-748.

Smith, H. M.

1904. The utilization of seaweeds in the United States.
Bureau of Fisheries Bull. 24: 169-181. U. S. Department of Commerce.

Smuskovich, I. E.

1939. Agar-agar.
Russian 56,068. November 30. (Patent)

Sordelli, A. and Mayer, E.

1931. Agar as antigen in vitro.
Rev. Soc. Argent. de Biol. 7: 416-422.
Compt. Rend. Soc. de Biol. 108: 675-676.

Stanford, E. C. C.

1884. On the economic applications of seaweeds.
J. Soc. Arts London 32: 717-732.

Steinitzer, F.

1912. Verfahren zum Reinigen von Agar.
German 269,088. July 26. (Patent)

Stiles, W.

1919. The penetration of electrolytes into gels. The penetration of sodium
chloride into gels of agar-agar containing silver nitrate.
Biochem. J. 14: 58-72.

- Stokes, J. H.
1916. Intradermal reaction to agar and interpretation of intradermal reactions.
J. Infectious Diseases 18: 415.
- Stokes, J. H.
1917. Luetin reaction in syphilis produced by agar.
J. Am. Med. Assoc. 68: 1092-1095.
- Stoloff, L. S.
1943. The agar situation.
Fishery Market News Nov. 1, Sep. no. 44, 5 pp., U.S. Department of the Interior.
- Street, J. P.
1917. Composition of wheat bran, bran biscuits, agar-agar and other laxative preparations.
Mod. Hosp. 9: 398-400.
- Swartz, M. D.
1911. Nutrition investigations on the carbohydrates of lichens, algae and related substances. The galactans.
Conn. Acad. Arts and Sciences 16: 282, 285-289.
- Takahasi, E.
1920. On the mucilagenous substance of Florideae.
J. Coll. Agr. Hokkaido Imp. Univ. Japan 8: 183-232.
- Takahasi, E. and Shirahama, K.
1934. On the ethereal sulfate, the essential constituent of agar-agar.
J. Ac. Agr. Hokkaido Imp. Univ. Japan 35: 101-131.
- Takao, Y.
1916. On some seaweeds which are used for the preparation of agar.
J. Pharm. Soc. Japan 5: no. 418, 1061-1071.
- Thompson, L.
1922. Changes in nutrient agar due to clarifying with egg.
J. Lab. Clin. Med. 7: 758-760.
- Tiebackx, F. W.
1923. Enkele Opmerkingen über Emulsoiden.
Pharm. Weekblad. 60: 76-77.
- Tokareva, E. P.
1936. Purification of technical agar.
Chem. Zentr. 2: 3007.
- Traunas, H. Otto, Forschungslaboratorium G.m.b. H.
1922. Manufacture of dispersoids, colloid powder and masses therefrom.
British 156,142. March 31. (Patent)

Tschudy, R. H. and Sargent, M. C.

1943. Agar-bearing seaweeds at La Jolla, California.
Science 97: 89-90.

Tseng, C. K.

1944. Agar: A valuable seaweed product.
Scientific Monthly 58: 24-32.

Tsuboi, S.

1918. Agar-agar as an addition agent in the electroplating of lead.
J. Chem. Ind. Japan 21: 648-666.

Tunmann, O.

1909. Eine Bemerkung über Agar agar.
Pharm. Zentralhalle 50: 233-237.

United States Army Specification for Agar, bacteriological no. 4-1041,
Sept. 10, 1935.

Van Oberbeek de Meijer.

1891. Ueber die Bereitung des Nahragars.
Centr. Bakt. 9: Abt. 1, 163-165

Van Rossem, W. J. (to Surgident, Ltd.)

1941. Hydrocolloid molding composition and material for use therein.
U. S. 2,265,118. (Patent)

Vasillev, V. V. and Guenis, A. L.

1937. Artificial cold in the production of agar.
Chimie & Industrie 36: 1136.

Voigtlander, F.

1889. Diffusion in agar jelly.
J. Chem. Soc. London 56: 817.

Voigtlander, F.

1889. Über die Diffusion in Agargallerie.
Z. Physik. Chem. 3: 316-335.

Waksman, S. A. and Bavendamm, W.

1931. The decomposition of agar by an anaerobic bacterium.
J. Bact. 22: 91-102.

Waele, H. de

1929. Gelation of agar.
Ann. Physiol. et Physicochim. Biol. 5: 877-880.

Whittaker, H. A.

1911. The source, manufacture and composition of commercial agar agar.
J. Am. Public Health Assoc. 1: 632-639.