ILLUSTRATIONS.

PLATES.

PHYSIOLOGY OF THE DIGESTIVE TRACT OF ELASMOBRANCHS: Plate I. (1 and 2) Photomicrographs showing structure of the rectai gland in the smooth dogfish	Page. 28
PHOTOGRAPHY OF AQUATIC ANIMALS IN THEIR NATURAL ENVIRONMENT:	
Plate II. (1 and 2) Photographs of fishes on coral recist taken with camera submerged.	43
where (2) Reach lamarance is a small-mouth black bass, taken with the ad of a screen, the camera above weither (2) Reach lamarance is he next background through water glack in about \$ loops of running	
water	68
IV (1) Water glass to be used for observation or photography of objects under water. (2) Two-foot water	00
glass supported on four legs and provided with screen, as used for studying and photographing lampreys V. (1) Photograph showing the method of using the reflecting camera when inclosed in the water-tight box for subaquatic work (2) Galvanized iron box with plate glass front to contain a reflecting camera when	68
used under water	68
RELATIONSHIPS OF THE FISH FAUNA OF THE LAKES OF SOUTHEASTERN OREGON:	
Map of the lake region of southeastern Oregon	102
FISHES OF THE SACRAMENTO-SAN JOAQUIN BASIN:	
Plate VI. Topographical map showing distribution of the Catostomidæ in the Sacramento-San Joaquin basin	148
FISHES OF THE COASTAL STREAMS OF OREGON AND NORTHERN CALIFORNIA:	
Map showing distribution of fluvial fishes in the coastal streams of Oregon and northern California	189
NATURAL HISTORY OF THE TEREDINIDE, OR SHIPWORMS:	
Plate VII. (1) Newly attached larva of Xylotrya gouldi. (2) Young shipworm of about 3 days' attachment, from	
ventral side. (3) Specimen of about 1 week in the wood, slightly contracted, ventral view. (4) Same	
stage as figure 3, from left side	232
V111. (5 and 6) Young adult.	232
1X. (7) Larva a few hours after attachment. (8) About the same stage as figure 2, from left side	232
X. (9) Same as ngure 4, the left shell, mantle, and gill removed. (10) Adult, antenor half of body	232
AI. (11) Right Shok varye of newly natched harve, internal view. (12) Saine, left shek varye. (13) Shek of	
newry attached farya. (14) Energina worth that has been in wood about 1 day. (15) Left shell	
value of spectral good 1 mm. ong. (1) Let and of spectral of mm. ong. (1) Let and value of large dult (19) Front view of shall of adult (10) Internal view of right years. (10) Let shell value	
of speciments may here the of shell of adult. (15) Internal view of fight valve. (20) Delt parter	932
XII (21) Dorsal gland of postorior part of the mantle (22) Societal section of newly attached larva	232
XIII. (23) Transverse section of larva (24) Horizontal section of newly attached larva	232
XIV. (25) Transverse sociation of a specimen 1 mm, long. (26-30) A series of transverse sections of a specimen	
10 mm. long.	232
XV. (31-33) Continuation of series of transverse sections in Plate XIV. (34) Section of pallet handle and its	
sheath. (35, 36) Diagrams of the posterior end of body of adult	232
XVI. (37) Lamina of gill of Teredo navalis. (38) Transverse section of three laminæ of Xylotrya gouldi	232
XVII. (39) Tangential section of a gill of Xylotrya gouldi. (40) Transverse section of three gill laminæ. (41)	
Section of the three most anterior gill filaments at side of "head." (42) Group of cells from branchial	÷.
groove at edge of gill. (43) Section of part of branchial groove that connects the two parts of the gill.	232
XVIII. (45) Section of two tubes of the gland of Deshayes from a gill lamina. (46 and 47) Coarser and finer portions	
of the dendritic processes from the gill lamina of Teredo navalis represented in figure 37. (48-51) Four	
stages in the development of the structures of the second factor of the gland of Deshayes	232
XIX. (52) Heart of a specimen 2 mm. long. (53) Heart of young adult. (54) Longitudinal section of the ven-	
tricle and vessels of a specimen 4 mm. long. (55) Longitudinal section of the anterior part of the	
ventricle and vessels of a specimen 10 cm. long. (56) Group of cells from main portion of style sheath.	
(57) Same from tubular portion. (58) Group of cells from the liver.	232 、
XX. (69) Nervous system of newly attached larva. (60) Nervous system of adult. (61 and 62) Diagrams to	000
snow the relations of the enus of the kinneys, genital duot, periorical cavity, and visceral ganglion	232
A. (6) Indisverse section of ancenor gaugeon and genital duct. (64) Longitudinal section of genital duct.	090
(a) possible of ophilandine (a) a support of the ophilandine of the ophilandine	200

v

TEXT CUTS.

FISHES OF WEST VIRGINIA:	Page.
Rhinichthys bowersi	. 36
PHOTOGRAPHY OF AQUATIC ANIMALS:	
Figure 1. Diagram illustrating the photography of ob-	-
jects beneath the water by a camera above	•
the surface	44
2. Tripod top by means of which the camera	
may be inclined at any angle	47
3. Boutan's first apparatus	52
4. Boutan's second apparatus	54
5. Boutan's third apparatus	55
6. Showing Boutan's method of obtaining in-	
stantaneous photographs of fish with his	
third apparatus	56
7. Showing Boutan's method of operating his	
third apparatus from a boat by means of a	
string	57
8. Boutan's apparatus for using a magnesium	
flash light under water	58
9. A reflecting camera shown in section	60
FISH FAUNA OF LAKES OF SOUTHEASTERN OREGON:	
Figure 1. Diagram showing method of taking propor-	
tional measurements	79
2. Catostomus warnerensis	82
3. Rutilus oregonensis	87
4. Rutilus columbianus	92
FISHES OF SACRAMENTO-SAN JOAQUIN BASIN:	
Figure 1. Catostomus microps	121
2. Diagram showing size of lips in Catostomus	
occidentalis from four localities	121
VI	

ge.	FRAMES ON Store Strengther State To LOWIN BLOWN Condition	Dago
36	FISHES OF BACKAMENTO-BAN JOAQUIN BASIN-COIL C.	rage.
	A Cottus asperrina	144
	4. Cottus macrops	147
	FISHES OF COASTAL STREAMS OF OREGON AND	
44	NORTHERN CALIFORNIA:	
11	Figure 1. Catostomus humboldtianus	164
477	2. Ptychocheilus grandis, P. oregonensis and	
41	P. umpquæ, showing characteristic dif-	
52	ference in size of scales which distinguishes	
54	the species	171
55	3. Leuciscus caurinus	173
	4. Rhinichthys evermanni	178
	5. Hybopsis crameri	181
56	FISHES FROM ISLANDS OF THE PHILIPPINE ARCHIPELAGO:	
	Figure 1. Murænichthys thompsoni	237
	2. Pisoodonophis macgregori	238
57	3. Leiuranus lithinus	239
	4. Cœcula mindora	239
58	5. Barbodes hemictenus.	242
60	6. Atherina panatela.	244
	7. Doryrhamphus macgregori	246
	8. Hippocampus barbouri	247
79	9. Gnathypops dendritica.	262
82	10. Abudefduf sapphirus	264
87	11 Congrogadus hierichthys	285
92	12 Antennarius lithinostomus	286
		200