

GENERAL INDEX

	Page		Page
Acipenser brevirostris.....	326	Caranx crysos.....	331
sturio.....	326	hippos.....	331
Adaptation of the feeding mechanism of the oyster (<i>Ostrea gigas</i>) to changes in salinity.....	345-364	Carcharhinus obscurus.....	312
Age and growth of the cisco, <i>Leucichthys arctedi</i> (Le Sueur), in the lakes of the northeastern highlands, Wisconsin.....	211-317	Centropristes striatus.....	333
Alaska, southeastern, pink salmon tagging experiments in.....	643-666	Cestracion Tiburo.....	322
Alepisauris ferox.....	328	zygaena.....	322
alewife.....	327	Charcharodon charcharias.....	322
Alopias vulpinus.....	322	Chauloides sloanei.....	328
Alutera scripta.....	334	Chimaera affinis.....	326
Anarrhichas minor.....	337	chinook salmon.....	667, 695, 795-803, 819
anchovy.....	327	Christey, Leroy S. and Frederick A. Davidson: The migrations of pink salmon (<i>Oncorhynchus gorbusha</i>) in the Clarence and Sumner Straits regions of southeastern Alaska.....	643-666
striped.....	328	chum salmon.....	667, 695, 813-815, 820
Anchoviella epsefus.....	328	Cisco, <i>Leucichthys arctedi</i> (Le Sueur), age and growth of in the lakes of the northeastern highlands of Wisconsin.....	211-317
mitchilli.....	327	cisco, lake herring.....	213
Anderson, W. W., F. W. Weymouth and Milton J. Lindner: Preliminary report on the life history of the common shrimp, <i>Penaeus setiferus</i> (Linn.).....	1-26	or club.....	213
Anguilla rostrata.....	326	Citharichthys arcifrons.....	341
Argentine.....	328	Clupea harengus.....	327
Argentina silus.....	328	pallasii, races of in southeastern Alaska.....	119-141
Artediiellus uncinatus.....	335	cod.....	338
Balistes carolinensis.....	333	coho salmon.....	667, 695, 781-794, 819
banded blenny.....	603	common shrimp.....	1
barracuda, northern.....	329	Conger oceanica.....	326
Bass, striped, or rockfish, <i>Roccus saxatilis</i> (Walbaum), life history of.....	825-851	constrictus, Trachypenaeus.....	2, 8, 21
bass, rock.....	213	Coryphaena hippurus.....	332
sea.....	333	Cottunculus microps.....	335
striped.....	333	Crango vulgaris.....	6, 12
Bigelow, Henry B. and William C. Schroeder: Supplemental notes on fishes of the Gulf of Maine.....	319-343	Crude oil pollution, effects of on oysters in Louisiana waters.....	143-210
black bass, largemouth.....	213	Cryptacanthodes maculatus.....	337
smallmouth.....	213	cusk.....	339
Blennies (family Blenniidae).....	573-611	Cynoscion nebulosus.....	91
Blenny, banded.....	603	nothus.....	91
snake.....	336	regalis.....	91
blueback.....	327	dabs, rusty.....	340
salmon.....	695, 754-778, 819	Dahlgren, Edwin H. and George A. Rounsefell: Races of herring, <i>Clupea pallasii</i> , in southeastern Alaska.....	119-141
bluefish.....	332	Davidson, Frederick A. and Samuel J. Hutchinson: The geographic distribution and environmental limitations of the Pacific salmon (genus <i>Oncorhynchus</i>).....	667-692
bluegill.....	213	Geographic distribution.....	668
bonito, common.....	330	Native.....	668
brasiliensis, Ponaënis.....	2, 4, 6, 8, 21	Foreign.....	669
British Columbia, pink salmon marking experiments in.....	36	Environmental limitations to occurrence.....	673
Brosme brostne.....	339	North Pacific region.....	673
burbot.....	213	South Pacific region.....	680
butterfish.....	332	North Atlantic region.....	685
Cable, Louella E. and Samuel F. Hildebrand: Further notes on the development and life history of some teleosts at Beaufort, N. C.....	505-642	South Atlantic region.....	687
Cable, Louella E. and Samuel F. Hildebrand: Reproduction and development of whiting or kingfishes, drums, spot, croaker, and weakfishes or sea trouts, family Sciaenidae, of the Atlantic coast of the United States.....	41-117	Davidson, Frederick A. and Leroy S. Christey: The migrations of pink salmon (<i>Oncorhynchus gorbusha</i>) in the Clarence and Sumner Straits regions of southeastern Alaska.....	643-666
		Channels of migration.....	644
		Tagging methods.....	645

Page	Page
Davidson, Frederick A. and Leroy S. Christey—Con.	filefish..... 334
Pink-salmon tagging experiments in Clarence Strait and adjacent waters, 1924-32..... 646	Fishes of the Gulf of Maine, supplemental notes on..... 319-343
Tagging experiments in the vicinity of Cape Fox..... 648	<i>Pistularia tobacaria</i> 328
Tagging experiments in the vicinity of Cape Chacon..... 649	fish:
Tagging experiments on Gravina Island and in the vicinity of Kasaan Bay..... 651	alewife..... 327
Tagging experiments in the vicinity of Cape Muzon..... 654	anchovy..... 327
Pink-salmon tagging experiments in Clarence Strait in 1935 and 1936..... 654	striped..... 328
Summary of Cape Chacon experiments..... 660	Argentine..... 328
Pink-salmon tagging experiments in Sumner Strait, 1924-36..... 661	banded blenny..... 603
Tagging experiments at Ruins Point and Cape Decision..... 662	barracuda, northern..... 329
Tagging experiments at Point Colpoys..... 664	bass, rock..... 213
Summary of Point Colpoys experiments..... 665	sea..... 333
Davidson, Frederick A.: The homing instinct and age at maturity of the pink salmon (<i>Oncorhynchus gorbuscha</i>)..... 27-39	striped..... 333, 825-851
Marking the pink salmon fry..... 28	black bass, largemouth..... 213
Interpretation of results from marking experiments..... 29	smallmouth..... 213
Homing instinct..... 29	blenny, banded..... 603
Age of pink salmon at maturity..... 34	snake..... 336
Pink salmon marking experiments in British Columbia..... 36	blennies (family Blenniidae)..... 573-611
Decapterus macarellus..... 331	blueback..... 327
deep-sea angler..... 342	bluefish..... 332
Detection and measurement of stream pollution..... 365-437	bluegill..... 213
dog salmon..... 667, 695, 813-815, 820	bonito, common..... 330
smooth..... 321	burbot..... 213
spiny..... 322	butterfish..... 332
dolphin, common..... 332	chimaera..... 326
drum, banded..... 84	cisco..... 211-317
star..... 75	lake herring..... 213
eelpout..... 337	or chubs..... 213
eel, American conger..... 326	cod..... 338
<i>Anguilla rostrata</i> 326	cusk..... 339
rock..... 336	dab, rusty..... 340
snake..... 326	deep-sea angler..... 342
wolf..... 338	dogfish, smooth..... 321
Ellis, M. M.: Detection and measurement of stream pollution..... 365-437	spiny..... 322
Stream pollutants and aquatic environment..... 366	dolphin, common..... 332
Physical and chemical characteristics of waters suitable for fresh-water stream fishes..... 366	drum, banded..... 84
General field methods..... 368	star..... 75
Equipment..... 370	eel, American conger..... 326
Dissolved oxygen..... 370	<i>Anguilla rostrata</i> 326
Hydrogen-ion (pH) limits..... 379	rock..... 336
Ionizable salts..... 383	snake..... 326
Specific conductance..... 383	wolf..... 338
Carbon dioxide..... 386	eelpout..... 337
Iron..... 390	filefish..... 334
Ammonia..... 391	flounder, four-spotted..... 340
Suspensoids..... 394	Georges Bank..... 341
Depths..... 396	Gulf Stream..... 341
Bottom conditions as affected by stream pollution..... 398	winter..... 340
Action of pollutants on fishes..... 400	witch..... 341
Injuries to gills and external structures..... 400	gobies (family Gobiidae)..... 543-573
Pollutants entering the body of the fish and exerting true toxic action..... 402	goosefish, American..... 341
Lethality of specific substances occurring in stream pollutants..... 403	grenadier, common..... 340
General consideration..... 403	haddock..... 339
Test animals..... 404	hagfish..... 321
Water types..... 406	hake..... 612
Specific lethality tables..... 408	long-finned..... 339
Lethal limits of 114 substances which may be found in stream pollutants..... 417	silver..... 338
Enechelyopus chimbrus..... 339	spotted..... 339
Etrumeus sadina..... 327	hardtail..... 331
	harvestfish..... 333
	herring, lake..... 213
	round..... 327
	thread..... 327
	kingfishes, or whittings..... 51
	lake herring..... 213
	lamprey, sea..... 321
	lancetfish..... 328
	leatherjacket..... 332
	lookdown..... 332
	mackerel..... 329
	Spanish..... 508
	marlin, spearfish..... 330
	needlefish..... 328

fish—continued.	Page	fish—continued.	Page
opah.....	332	Spanish mackerel.....	508
pearlides.....	328	spearfish, marlin.....	330
perch, yellow.....	213	sturgeon, common.....	326
pike perch.....	213	short-nosed.....	326
pliotfish.....	331	sucker.....	213
pinfish.....	518	swordfish.....	330
pink salmon..... 27-39, 643-666, 667, 695, 804-812,	820	torpedo.....	325
plpefish, common.....	329	triggerfish.....	333
pelagic.....	329	trout, bastard.....	110
plaice, American.....	340	gray.....	102
pollock.....	338	lake.....	213
puffer.....	334	speckled.....	92
remora.....	336	spotted.....	92
rock bass.....	213	trumpetfish.....	328
rockling, four-bearded.....	339	tuna.....	329
rosefish.....	334	unicornfish.....	334
black-bellied.....	334	viperfish.....	328
rudderfish.....	331	weakfishes (sea trouts).....	91
salmon:		gray.....	102
blueback.....	695, 754-778, 819	spotted.....	92
chinook.....	667, 695, 795-803, 819	whitefish.....	213
coho.....	667, 695, 781-794, 819	whitings, or kingfishes.....	51
chum.....	667, 695, 813-815, 820	wolfish, spotted.....	337
dog.....	667, 695, 813-815, 820	wrymouth.....	337
humpback.....	667, 695, 804-812, 820	yellow perch.....	213
king.....	695, 795-803, 819		
Pacific.....	667-692, 695	gadus callarias.....	338
pink..... 27-39, 643-666, 667, 695, 804-812,	820	Galtsoff, Paul S., Herbert F. Prytherch, Robert O. Smith, and Vera Koehring: Effects of crude oil pollution on oysters in Louisiana waters..... 143-210	146
quinnat.....	667, 695, 754-778, 819	Preliminary field investigations, 1933.....	146
red.....	667, 695, 754-778, 819	Survey of oyster bottoms in areas affected by oil-well pollution, 1934.....	150
silver.....	667, 695, 781-794, 819	Methods.....	150
silverside.....	667, 695, 781-794, 819	General conditions.....	150
sockeye.....	667, 695, 754-778, 819	Lake Barre.....	152
spring.....	695, 795-803, 819	Lake Felicite and Lake Chein.....	152
sauger.....	213	Terrebonne Bay.....	153
sargassum fish.....	341	Timbalier Bay.....	153
scad, mackerel.....	331	Lake Raccourel.....	154
big-eyed.....	331	Lake Pelto and Pelican Lake.....	154
sculpin, deep-sea.....	335	Examination of oyster beds at mouth of Bayou Grey and Little Lake.....	155
hook-eared.....	335	Experimental studies of the effect of oil on oysters.....	158
longhorn.....	335	Survival of oysters in oil-polluted water.....	159
mottled.....	335	Experiments with surface film of oil.....	160
sea bream.....	332	Survival of oysters in sea water passed through oil.....	161
lamprey.....	321	Immersion of oysters in oil.....	162
raven.....	335	Effect of oil on glycogen content of oysters.....	163
robin, red-winged.....	336	Experiments with brine.....	164
snail.....	336	Effect of brine on glycogen content of oysters.....	167
striped.....	336	Effect of oil on feeding of oysters.....	167
trouts (weakfishes).....	91	Effect on the adductor muscle.....	167
seaweed fish, spotted.....	576	Effect of oil and oil-well bleed-water on the rate of feeding of oysters.....	170
shanny.....	337	Results obtained with the cone method.....	174
Arctic.....	337	Results obtained with the drop-counting method.....	183
radiated.....	337	Effect of bleed-water on the rate of feeding.....	188
shark, dusky.....	321	Effect of consecutive treatments.....	191
great blue.....	321	Effect of crude oil on diatoms.....	193
greenback.....	323	Method.....	194
hammerhead.....	322	Effect of heavy surface layer of oil on Nitzschia culture.....	196
mackerel.....	322	Effect of oil held on the bottom.....	197
sharp-nosed.....	322	Effect of water-soluble fraction of oil.....	199
shovel-head.....	322	Effect of oil held in collodion bags.....	200
thresher.....	322	Effect of brine on Nitzschia.....	200
white.....	322	Glyptocephalus cynoglossus.....	341
sheepshead.....	526	gorbuscha, Oncorhynchus..... 27-39, 643-666, 667, 695, 804-812,	820
skate, barn-door.....	325		
big.....	324		
brier.....	325		
little.....	324		
prickly.....	324		
smooth.....	325		
sole, American.....	630		
spadefish.....	534		

Page	Local species of the <i>Gobionellus</i> —Continued.	Page
goosefish, American	Ocean goby <i>Gobionellus oceanicus</i>	571
gobies (family Gobiidae)	Spawning	572
grenadier, common	Descriptions of the young	572
	Distribution of the young	573
haddock	Family Blenniidae (blennies)	573
hagfish	Key to the genera and species	574
hake	The characters of the eggs and newly hatched	
long-finned	young	574
silver	Distinguishing characters	574
spotted	A comparison of the eggs and young of some	
hardtail	American and European blennies	575
harvestfish	Seaweed fish, spotted, <i>Hypsoblennius hentz</i>	576
Helicolenus dactylopterus	Spawning	577
Hemitripterus americanus	Descriptions of the eggs and young	579
herring	Distribution of the young	589
round	Growth	589
thread	Blenny, <i>Hypleurochilus geminatus</i>	589
Hildebrand, Samuel F. and Louella E. Cable: Further	Spawning	590
notes on the development and life history of some teleosts	Descriptions of the eggs and young	592
at Beaufort, N. C.	Distribution of the young	602
Spanish mackerel, <i>Scomberomorus maculatus</i> , with	Growth	603
notes on related species	Banded blenny, <i>Chasmodes bosquianus</i>	603
Characters of the adult	Spawning	605
Spawning	Descriptions of the eggs and the newly hatched	
Descriptions of the young	young	605
A discussion of the relationship of the species	Hakes (genus <i>Urophysis</i>)	612
<i>Scomberomorus</i> and the probable identity of	Key to the species	613
the young	Spawning	613
Pinfish, <i>Lagodon rhomboides</i>	Descriptions of the eggs and young	614
Characters of the adult	Distribution of the young	626
Spawning	Growth	627
Descriptions of the young	Sole, American, <i>Archirus fasciatus</i>	630
Distribution of the young	Characters of the adult	630
Growth	Methods of collecting	630
Sheepshead <i>Archosargus probatocephalus</i>	Spawning	631
Characters of the adult	Descriptions of the eggs and young	632
Spawning	Growth	640
Descriptions of the young	Hildebrand, Samuel F. and Louella E. Cable: Reproduc-	
Distribution of the young	tion and development of the whittings or kingfishes,	
Food	drums, spot, croaker, and weakfishes or sea trouts, family	
Growth	<i>Sciaenidae</i> , of the Atlantic coast of the United States	41-117
Spadefish <i>Chaetodipterus faber</i>	Artificial keys to the eggs and young as far as known	42
Characters of the adult	The whittings or kingfishes (<i>Menticirrhus americanus</i> ,	
Spawning	<i>M. saxatilis</i> , and <i>M. littoralis</i>)	51
Descriptions of the young	Characters of the adults	52
Distribution of the young	Key to the species	52
Growth	<i>Menticirrhus americanus</i>	53
Family Gobiidae (gobies)	Spawning	53
Distinguishing characters of the young of the	Descriptions of the young	54
genera <i>Gobiosoma</i> , <i>Microgobius</i> and <i>Gobionellus</i>	Distribution of the young	62
A comparison of the eggs and the young of some	Growth	62
American and European gobies	<i>Menticirrhus saxatilis</i>	64
Naked gobies, <i>Gobiosoma bosci</i> and <i>Gobiosoma ginsburgi</i>	Spawning	65
Key to the adults of the local species	Descriptions of the eggs and young	65
Spawning	Distribution of the young	70
Descriptions of the eggs and young	Growth	70
Distribution of the young	<i>Menticirrhus littoralis</i>	70
Growth	Spawning	71
Holmes goby, <i>Microbogius holmesi</i>	Descriptions of the young	71
Spawning	Distribution of the young	75
Descriptions of the young	Growth	75
Distribution of the young	Star drum <i>Stellifer lanceolatus</i>	75
Growth	Spawning	76
Local species of the <i>Gobionellus</i>	Descriptions of the young	76
Scallop fish <i>Gobionellus boleosoma</i>	Distribution of the young	83
Spawning	Growth	83
Descriptions of the eggs and young	Banded drum <i>Larimus fasciatus</i>	84
Distribution of the young	Spawning	84
Growth	Descriptions of the young	85
	Distribution of the young	91
	Growth	91

	Page		Page
Hildebrand, Samuel F. and Louella E. Cable—Con.		Hopkins, A. E.: Experimental observations on spawning,	
Weakfishes or sea trouts (<i>Cynoscion nebulosus</i> , <i>C. regalis</i> , and <i>C. nothus</i>).....	91	larval development and setting in the Olympia oyster,	
Key to the species.....	91	<i>Ostrea lurida</i>	439-503
<i>Cynoscion nebulosus</i>	92	Method of cultivation.....	441
Spawning.....	93	Enemies of the oyster.....	441
Descriptions of the young.....	94	Aims of investigation.....	443
Distribution of the young.....	101	Hydrographical observations.....	443
Growth.....	102	General description of region.....	443
<i>Cynoscion regalis</i>	102	Temperature.....	444
Spawning.....	103	Salinity and pH.....	448
Descriptions of the eggs and young.....	104	Spawning.....	456
Distribution of the young.....	107	Size of broods.....	458
Growth.....	108	Relation of temperature to spawning.....	460
<i>Cynoscion nothus</i>	110	Spawning season.....	464
Spawning.....	111	Development of larvae.....	467
Descriptions of the young.....	112	Setting.....	471
Distribution of the young.....	115	Effect of angle of surface.....	472
Growth.....	116	Method of determining frequency of setting.....	475
Hile, Ralph: Age and growth of the cisco, <i>Leucichthys arctedi</i> , in the lakes of the northeastern highlands of Wisconsin. 211-317		Setting seasons, Oyster Bay.....	477
Materials.....	214	Setting seasons, Mud Bay.....	483
Methods.....	215	Periodicity of setting.....	487
Gear used in collecting.....	215	Stages of tide and setting.....	489
Methods of fishing.....	215	Depth of setting.....	493
Field data recorded for individual specimens.....	216	Correlation between spawning and setting.....	495
Treatment of preserved specimens and resulting shrinkage.....	217	Hopkins, A. E.: Adaptation of the feeding mechanism of the oyster, <i>Ostrea gigas</i> , to changes in salinity.....	345-364
Preparation and examination of scale material.....	217	Homing instinct and age at maturity of the pink salmon, <i>Oncorhynchus gorbuscha</i>	27-39
Miscellaneous considerations.....	218	Hutchinson, Samuel J. and Frederick A. Davidson: The geographic distribution and environmental limitations of the Pacific salmon (genus <i>Oncorhynchus</i>).....	667-692
The scale method.....	218	humpback salmon.....	667, 695, 804-812, 820
Assessment of age and calculation of growth.....	218	<i>Isurus nasus</i>	322
Lee's phenomenon in the Silver Lake cisco.....	222	<i>tigris</i>	322
Possible causes of Lee's phenomenon in the Silver Lake cisco.....	224	Kelez, George B. and George A. Rounsefell: The salmon and salmon fisheries of Swiftsure Bank, Puget Sound and the Fraser River.....	693-823
General growth curves for the Trout Lake, Muskellunge Lake, Silver Lake and Clear Lake cisco popu- lations.....	226	kingfishes, or whittings.....	51
Growth in length.....	226	king salmon.....	695, 795-803, 819
Growth in weight.....	230	Koehring, Vera, Paul S. Galtsoff, Herbert F. Prytherch, and Robert O. Smith: Effects of crude oil pollution on oysters in Louisiana waters.....	143-210
Comparison of the growth of the Trout Lake, Muskellunge Lake, Silver Lake and Clear Lake cisco popu- lations with that of cisco populations in other regions.....	232	krøyeri, <i>Xiphopenaeus</i>	2, 8, 13, 21
Range of length in individual age groups; maximum length and weight.....	234	lake shrimp.....	1
Condition and the relationship between length and weight.....	237	<i>Lampris regius</i>	332
Length of growing season.....	249	lamprey, sea.....	321
Relationship between density of population and rate of growth.....	253	lancetfish.....	328
Age composition of the samples and the relative abun- dance of year classes.....	263	<i>Larimus fasciatus</i>	84
Age at maturity and sex ratio.....	267	leatherjacket.....	332
Annual increments of growth.....	271	<i>Leptoclinius maculatus</i>	337
Variation in the amount of growth in different calendar years.....	271	<i>Leucichthys arctedi</i> , cisco, age and growth of in the lakes of the northeastern highlands of Wisconsin.....	211-317
Bimodality in the calculated growth for the first year of life.....	280	<i>Limanda ferruginea</i>	340
Growth compensation.....	282	Lindner, Milton J., W. W. Anderson and F. W. Wey- mouth: Preliminary report on the life history of the common shrimp, <i>Penaeus setiferus</i>	1-26
Growth relationships in the Trout Lake, Muskellunge Lake, Silver Lake and Clear Lake cisco populations.....	286	<i>Liparis liparis</i>	336
Physical-chemical factors.....	287	lookdown.....	332
Density of population.....	288	<i>Lophius americanus</i>	341
Length of the growing season.....	288	Louisiana waters, effects of crude oil pollution on oysters in.....	143-210
Parasitization.....	289	<i>Lumpenus lampetraeformis</i>	336
Condition.....	289	<i>Lycenchelys verrillii</i>	338
Sex ratio.....	292	mackerel.....	329
Fishes associated with the cisco.....	293	Spanish.....	508
Selective action of gill nets.....	294	<i>Macrobrachium</i> sp.....	1
<i>Hippoglossoides platessoides</i>	340	<i>Macrourus baldii</i>	340
<i>Hystrio hystrio</i>	341	<i>Makaira albida</i>	330

	Page		Page
Mancalias uranoscopus.....	342	pipefish, common.....	329
Marking experiment, pink salmon, in British Columbia..	36	pelagic.....	329
marlin, spearfish.....	330	Pisodonophis cruentifer.....	326
Maurollicus pennanti.....	328	plaice, American.....	340
Melanogrammus aeglefinus.....	339	Pollachius virens.....	338
Menticirrhus americanus.....	53	pollock.....	338
littoralis.....	70	Pomatotus saltatrix.....	332
saxatilis.....	64	Pomolobus aestivalis.....	327
Merluccius bilinearis.....	338	Pomolobus pseudoharengus.....	327
Migrations of pink salmon (<i>Oncorhynchus gorbuscha</i>) in the Clarence and Sumner Straits regions of southeastern Alaska.....	643-666	Preliminary report on the life history of the common shrimp, <i>Penaeus setiferus</i>	1-26
Monacanthus ciliatus.....	334	Prionace glauca.....	321
hispidus.....	334	Prionotus strigatus.....	336
Mustelus mustelus.....	321	Pronotus triacanthus.....	332
Myoxocephalus octodecimspinosus.....	335	Prytherch, Herbert F., Robert O. Smith, Vera Koehring and Paul S. Galtsoff: Effects of crude oil pollution on oysters in Louisiana waters.....	143-210
Myxine glutinosa.....	321	Pseudopleuronectes americanus.....	340
Narcacion nobilianus.....	325	dignabilis.....	341
Naucrates ductor.....	331	puffer.....	334
needlefish.....	328		
Neoliparis atlanticus.....	336	Quinnat salmon.....	667, 695, 754-778, 819
Observations on spawning, larval development, and setting in the Olympia oyster.....	430-503	Raja diaphanes.....	324
Oligoplites saurus.....	332	oglanteria.....	325
Oncorhynchus gorbuscha..... 27-39, 643-666, 667, 695, 804-812, 820		erinacea.....	324
opah.....	332	scabrata.....	324
Opisthonema oglinum.....	327	senta.....	325
Ostrea gigas.....	345-364	stabuliforis.....	325
lurida.....	439-503	red salmon.....	667, 695, 754-778, 819
virginica.....	345	Remora remora.....	330
Oyster, effects of crude oil pollution on, in Louisiana waters.....	143-210	Roccus lineatus.....	333
Oyster, <i>Ostrea gigas</i> , adaptation of the feeding mechanism of to changes in salinity.....	345-364	rock bass.....	213
Oyster, Olympia, observations on spawning, larval develop- ment, and setting.....	430-503	rockling, four-bearded.....	339
		rosefish.....	334
		black-bellied.....	334
Pacific salmon (genus <i>Oncorhynchus</i>), geographic distribu- tion and environmental limitations of.....	667-692	Rounsefell, George A. and Edwin H. Dahlgren: Races of herring, <i>Clupea pallasii</i> , in southeastern Alaska.....	119-141
Paralichthys oblongus.....	340	Spawning and feeding localities.....	120
pearlsides.....	328	Analysis of vertebral counts.....	123
Pearson, John C.: The life history of the striped bass, or rockfish, <i>Roccus saxatilis</i>	825-851	Discussion of factors influencing vertebral count distribution within a population.....	123
Distribution.....	826	Existence of races proven by heterogeneity of samples from all localities.....	124
Abundance.....	827	Homogeneity of material from individual local- ities.....	129
Spawning grounds.....	829	Segregation of races.....	120
Spawning season.....	830	Analysis of growth rates.....	133
Size and age at maturity.....	830	Analysis of year classes.....	138
Eggs and young.....	831	Tagging.....	138
Growth.....	837	Rounsefell, George A. and George B. Kelez: The salmon and salmon fisheries of Swiftsure Bank, Puget Sound, and the Fraser River.....	693-825
Food habits.....	839	The Pacific salmon.....	695
Movements.....	840	Fishing districts.....	695
Fishery.....	845	Development of the fisheries.....	697
Penaeus brasiliensis.....	2, 4, 6, 8, 21	Production and value.....	699
Penaeus setiferus, common shrimp, preliminary report on the life history of.....	1-26	Need for investigation.....	700
Peprilus alepidotus.....	333	Gill-net fishery.....	701
perch, yellow.....	213	Fraser River.....	701
Petromyzon marinus.....	321	Puget Sound.....	712
Pholis gunnellus.....	336	Trap fishery.....	713
pike-perch.....	213	Reef nets.....	713
pilotfish.....	331	Construction of the traps.....	714
pinfish.....	518	Number in operation.....	716
Pink salmon, <i>Oncorhynchus gorbuscha</i> , the homing instinct and age at maturity of.....	27-39	Locations fished.....	717
Pink salmon, <i>Oncorhynchus gorbuscha</i> , Migrations of in the Clarence and Sumner Straits regions of southeastern Alaska.....	643-666	Cannery expansion from the trap fishery.....	719
pink salmon, <i>Oncorhynchus gorbuscha</i>	27-39,	Season.....	719
643-666, 667, 695, 804-812, 820		Seasonal occurrence of each species.....	721
		Relative importance of each species and each dis- trict.....	723

Rounsefell, George A. and George B. Kozel—Contd.	Page		Page
The purse-seine fishery.....	725	Sarda sarda.....	330
Drag seines.....	725	sargassum fish.....	341
Development of the purse seine.....	726	sauger.....	213
Development of the modern purse-seine vessel.....	728	scad, mackerel.....	331
Evaluation of fishing intensity.....	730	big-eyed.....	331
Seasonal fluctuations in fleet size.....	730	Schroeder, William C. and Henry B. Bigelow: Supple-	
Changes in composition of the fleet.....	734	mental notes on fishes of the Gulf of Maine.....	319-343
Relation of vessel size to efficiency.....	735	Scomber scombrus.....	329
Seasonal occurrence of each species.....	740	Scomberesox saurus.....	328
Puget sound fishery.....	740	sculpin, deep-sea.....	335
Cape fishery.....	741	hook-eared.....	335
Fishing seasons in different districts.....	742	longhorn.....	335
Puget sound.....	742	mailed.....	335
Cape Flattery.....	744	sea trouts (weakfishes).....	91
Relation of fishing intensity to seasonal occurrence.....	745	seaweed fish, spotted.....	576
Relative importance of each species.....	747	Sebastes marinus.....	334
Puget Sound.....	747	Scelene vomer.....	332
Cape Flattery.....	748	Seriola zonata.....	331
The troll fishery.....	749	shanny, Arctic.....	337
Development of the fishery.....	749	radiated.....	337
Importance.....	750	shark, dusky.....	321
Seasonal occurrence of cohos and kings.....	751	great blue.....	321
Sport fishing.....	753	greenback.....	323
Sockeye salmon.....	754	hammerhead.....	322
General life history.....	754	mackerel.....	322
Sockeye rivers of the region.....	756	sharp-nosed.....	322
Migration in salt water.....	758	shovel-head.....	322
Total pack of the Fraser River system.....	758	thresher.....	322
Method and locality of capture.....	759	white.....	322
Changes in abundance of different portions of the		sheepshead.....	526
run.....	763	Shrimp, common, <i>Penaeus setiferus</i> , preliminary report	
Coho salmon.....	781	on the life history of.....	1-26
Life history.....	781	shrimp, lake.....	1
Locality of capture by different types of gear.....	784	Steynia sp.....	2
Seasonal occurrence in various areas.....	786	silver salmon.....	667, 695, 781-794, 819
King salmon.....	795	silverside salmon.....	667, 695, 781-794, 819
Life history.....	795	skate, barn-door.....	325
Locality of capture by different types of gear.....	797	big.....	324
Seasonal occurrence in different areas.....	799	brier.....	325
Seasonal occurrence of red and white king salmon.....	800	little.....	324
Changes in abundance.....	803	prickly.....	324
Pink salmon.....	804	smooth.....	325
General life history.....	804	Smith, Robert O., Vera Koehring, Paul S. Galtsoff and	
Migration.....	805	Herbert F. Prytherch: Effects of crude oil pollution on	
Method and locality of capture.....	805	oysters in Louisiana waters.....	143-210
Seasonal occurrence in northern and southern		sockeye salmon.....	667, 695, 754-778, 819
districts.....	808	sole, American.....	630
Changes in abundance between early and late		Somniosus microcephalus.....	323
years.....	808	Southeastern Alaska:	
Indices of abundance from traps.....	811	Races of herring (<i>Clupea pallasii</i>) in.....	119-141
Abundance from purse-seine catches.....	812	The migrations of pink salmon (<i>Oncorhynchus gor-</i>	
Comparison of purse-seine and trap indices.....	812	buscha) in the Clarence and Sumner Straits regions	
Chum salmon.....	813	of.....	643-666
General life history.....	813	spadefish.....	534
Method and locality of capture.....	814	Spanish mackerel.....	508
Seasonal occurrence in northern and southern		spearfish (marlin).....	330
districts.....	814	Spheroides maculatus.....	334
Abundance from Admiralty Inlet traps.....	815	Sphyræna borealis.....	329
Abundance from purse seines.....	815	spring salmon.....	695, 795-803, 819
rudderfish.....	331	Squalus acanthias.....	322
Salmon, pink, <i>Oncorhynchus gorbusha</i> , the homing instinct		Stellifer lanceolatus.....	75
and age at maturity of.....	27-39	Stichæus punctatus.....	337
salmon, pink.....	27-39, 643-666, 667, 695, 804-812, 820	Stream pollution, detection and measurement of.....	365-437
Salmon and salmon fisheries of Swiftsure Bank, Puget		sturgeon, common.....	326
Sound, and the Fraser River.....	693-823	short-nosed.....	326
sea brem.....	332	sucker.....	213
lamprey.....	321	Supplemental notes on fishes of the Gulf of Maine.....	319-343
raven.....	335	swordfish.....	330
robin, red-winged.....	336	Syngnathus fuscus.....	329
snail.....	336	pelagicus.....	329
striped.....	336		

	Page		Page
Taractes princeps.....	332	Weymouth, F. W., Milton J. Lindner and W. W. Anderson: Preliminary report on the life history of the common shrimp, <i>Penaeus setiferus</i>	1-26
Teleosts, further notes on the development and life history of at Beaufort, N. C.....	505-642	Production and value of.....	2
Thunnus thynnus.....	329	Previous work on life history.....	6
torpedo.....	325	Life history.....	8
Trachurops crumenophthalma.....	331	Nature of data.....	8
Trachurus trachurus.....	331	Interpretation of data.....	9
Trachypenaeus constrictus.....	2, 8, 21	Recognition of age groups.....	9
triggerfish.....	333	Spawning.....	11
Triglops omnatistius.....	335	Sex-ratio.....	14
trout, bastard.....	110	Larvae.....	15
gray.....	102	Young.....	15
lake.....	213	Growth.....	18
speckled.....	92	Fate of adults.....	19
spotted.....	92	Habits.....	21
trumpetfish.....	328	Depletion and protection.....	22
tuna.....	329	Whitings or kingfishes, drums, spot, croaker, and weakfishes or sea trouts, family Sciaenidae, of the Atlantic coast of the United States, reproduction and development of.....	41-117
Ulvaria subbifurcata.....	337	whitefish.....	213
unicornfish.....	334	wolfish, spotted.....	337
Urophycis chesteri.....	339	wrymouth.....	337
regius.....	339	Xiphias gladius.....	330
viperfish.....	328	Xiphopenaeus kroyeri.....	2, 8, 13, 21
vulgaris, Crago.....	6, 12	yellow perch.....	213
weakfishes (sea trouts).....	91	Zoarces anguillarls.....	337
spotted.....	92		
gray.....	102		

