

INDEX TO VOLUME 57

	Page		Page
<i>Aeromonas salmonicida</i>	558	<i>Bradyidius arnoldi</i> , new species.....	355
Aetideidae.....	355	<i>Brevis</i> , red tide.....	475-492
Age determination of trout in Lake Michigan.....	1-59	Bullock, G. L., and S. F. Snieszko: TREATMENT OF SULFONAMIDE-RESISTANT FURUNCULOSIS IN TROUT AND DETERMINATION OF DRUG SENSITIVITY.....	555-564
annular markings.....	11	Butterfly ray (<i>Gymnura altavela</i>), south of Cape Cod.....	335
<i>Agonostomus monticola</i> , fresh-water mullet.....	415		
description of species.....	417		
locality—Bahamas and South Atlantic.....	416		
occurrence of larval and juvenile forms.....	424		
spawning area.....	424		
<i>Aeromonas salmonicida</i> resistant to drugs.....	555, 564	Cable, Louella E.: VALIDITY OF AGE DETERMINATION FROM SCALES, AND GROWTH OF MARKED LAKE MICHIGAN LAKE TROUT.....	1-39
<i>Alutera ventralis</i>	337	<i>caerulea</i> , <i>Sardinops</i> , Pacific sardine.....	427-449
Anderson, William W.: EARLY DEVELOPMENT, SPAWNING, GROWTH, AND OCCURRENCE OF THE SILVER MULLET (<i>Mugil curema</i>) ALONG THE SOUTH ATLANTIC COAST OF THE UNITED STATES.....	397-414	Calanoida.....	347
Anderson, William W.: LARVAL FORMS OF THE FRESH-WATER MULLET (<i>Agonostomus monticola</i>) FROM THE OPEN OCEAN OFF THE BAHAMAS AND SOUTH ATLANTIC COAST OF THE UNITED STATES.....	415-425	Calanoid copepods of families Aetideidae, Euchaetidae, and Stephidae from the Gulf of Mexico.....	355-363
Annotated bibliography of tuna and tuna fisheries.....	173-249	<i>Carcinides maenas</i> , green crab.....	340
Annular markings on lake trout.....	11	<i>Carnegie</i> (1929) zooplankton collections, Central Pacific.....	365
characteristics of lake trout scales, Michigan.....	11	Central Equatorial Pacific, Yellowfin tuna spawning.....	251-264
<i>arenaria</i> , <i>Mya</i>	279-292	Capelin, Pacific Coast, <i>Mallotus catervarius</i>	444
<i>artedi</i> , <i>Leucichthys</i>	87	<i>catervarius</i> , <i>Mallotus</i> , capelin of Pacific Coast.....	444
Atlantic round herring, <i>Etrumeus sadina</i>	335	Central Pacific, food of bigeye and yellowfin tuna.....	64, 82
Atlantic lizard fish (<i>Synodus foetens</i>).....	336	Central Pacific, Observations on the spearfishes.....	497-554
abundance in southern New England.....	336	Central Pacific, Zooplankton abundance.....	365
Atlantic sailfish.....	139-169	Central Pacific, Zooplankton studies, 1951-54.....	365-395
Antibiotics, Sensitivity tests on.....	555	<i>Centropristes striatus</i> , sea bass, Corea, Maine.....	337
<i>Auis thazard</i>	336	<i>cephalus</i> , <i>Mugil</i>	415-421
		Charlevoix (Mich.), U.S. Fish Hatchery.....	2
		Chloramphenicol, Treatment with.....	555
		Clam, growth of <i>Mya arenaria</i> , soft.....	279, 292
		CLIMATIC TRENDS AND THE DISTRIBUTION OF MARINE ANIMALS IN NEW ENGLAND, by Clyde C. Taylor, Henry B. Bigelow, and Herbert W. Graham.....	293-345
Bacteria, notes on.....	469-496	<i>Clupea pallasii</i> , Pacific herring spawning compared with <i>sardinops</i>	443
Isolated from <i>Gymnodinium brevis</i> cultures.....	488	relative abundance of eggs of herring.....	451
List of control fishes in unialgal cultures.....	478	<i>Collybus drachme</i> , pomfret, food item of tuna.....	66, 75, 79
Bahamas and South Atlantic Coast fresh-water mullet.....	415	COMPARATIVE STUDY OF FOOD OF BIGEYE AND YELLOWFIN TUNA IN THE CENTRAL PACIFIC, by Joseph E. King and Isaac I. Ikehara.....	61-85
Bare Lake, Alaska, salmon fecundity study.....	457	<i>Copepoda calanoida</i>	347-354
Bedroom Cove, soft clam growth in.....	279	Copepods, New calanoid.....	355
Bibliography of tunas and tuna fisheries, 1930-1953.....	173	<i>Coregonus</i> (Artedi) Linnaeus, Great Lakes.....	87
Bigelow, Henry B., Clyde C. Taylor, and Herbert W. Graham: CLIMATIC TRENDS AND THE DISTRIBUTION OF MARINE ANIMALS IN NEW ENGLAND.....	293-345	in Europe.....	87
Blue marlin, <i>Makaira ampla</i>	169, 532-538	<i>Coryphaena hippurus</i> , common dolphin, northern range.....	377
Boothbay Harbor, Maine, Mean water temperatures.....	344	Crab, green (<i>Carcinides maenas</i>).....	340
Boston otter trawlers, Georges Bank.....	266	<i>curema</i> , <i>Mugil</i> , silver mullet.....	397-414
<i>Bradyidius</i> Giesbrecht.....	355-358	<i>Cyprinodon variegatus</i> , experimental.....	486, 495

	Page		Page
Depth zones, Distribution of different species in	274	Furunculosis in trout	555-564
Development of silver mullet, larval to juvenile stage	402	drug sensitivity	556
Dolphin, common (<i>Coryphaena hippurus</i>)	377	Gehringer, Jack W.: OBSERVATIONS ON THE DEVELOPMENT OF THE ATLANTIC SAILFISH, <i>Istiophorus americanus</i> (CUVIER), WITH NOTES ON AN UNIDENTIFIED SPECIES OF ISTIOPHORID	139-171
Drug resistance	556	<i>Gempylus serpens</i> , snake mackerel, food important to tuna	64, 67, 75, 79
furunculosis in trout	555-564	Georges Bank, estimating groundfish population	265
EARLY DEVELOPMENT, SPAWNING, GROWTH, AND OCCURRENCE OF THE SILVER MULLET (<i>Mugil curema</i>) ALONG THE SOUTH ATLANTIC COAST OF THE UNITED STATES, by William W. Anderson	397-414	<i>Germo alalunga</i> , skipjack	497
Ecological notes on sailfish	167	Glude, John B., and Harlan S. Spear: EFFECTS OF ENVIRONMENT AND HEREDITY ON GROWTH OF THE SOFT CLAM <i>Mya arenaria</i>	279-292
EFFECTS OF ENVIRONMENT AND HEREDITY ON GROWTH OF THE SOFT CLAM (<i>Mya arenaria</i>), by Harlan S. Spear and John B. Glude	279-292	<i>Gonyaulax monilata</i> in Indian River, Fla	491
EFFECTS OF UNIALGAL AND BACTERIA-FREE CULTURES OF <i>Gymnodinium brevis</i> ON FISH, and notes on related studies with bacteria, by Sammy M. Ray and William B. Wilson	469-496	Graham, Herbert W., Clyde C. Taylor, and Henry B. Bigelow: CLIMATIC TRENDS AND THE DISTRIBUTION OF MARINE ANIMALS IN NEW ENGLAND	293-345
Elbow Cay, Bahamas, fresh-water mullet collections	415	Great Lakes (Mich.), tagging trout	2
Estimating abundance of groundfish on Georges Bank	265-278	Green Bay lake herring (see lake herring)	88
<i>Etvumeus sadina</i> , herring, northern range	335	economic importance of fishery	90
<i>Euchaeta paraconcinna</i> , new species	358	map of Green Bay	89
<i>Euchaetidae</i>	358-361	water level	90
Eulachon, <i>Thaleichthys pacificus</i> , (Pacific Coast) spawning	443	Groundfish, Georges Bank, estimating abundance	265-278
<i>Eulhynnus alletteratus</i> , little tuna, northern range	336	Growth and development of the sailfish	150
<i>pclamis</i> , striped bonito, northern range	336	Growth of marked Lake Michigan trout	36
FECUNDITY OF NORTH AMERICAN SALMONIDAE, by George A. Rounsefell	451-468	in length	39-48
FECUNDITY OF THE PACIFIC SARDINE (<i>sardinops caerulea</i>), by John S. MacGregor	427-449	in weight	48-56
Filefish (<i>Alutera ventralis</i>) from Tortugas region	337	Growth of silver mullet	410
Fin regeneration, Lake Michigan trout	7	habitat of juvenile forms	413
Fishing of otter trawlers in each depth zone	270	Growth of soft clam	285
<i>Flavobacterium piscicida</i> , bacterial counts	490, 491	Growth rate of Lake herring	105, 107, 109
Fleminger, Abraham: NEW CALANOID COPEPODS OF THE FAMILIES AETIDEIDAE, EUCHAETIDAE, AND STEPHIDAE FROM THE GULF OF MEXICO	355-363	weight changes	104, 116
Fleminger, Abraham: NEW GENUS AND TWO NEW SPECIES OF THARYBIDAE (<i>Copepoda calanoida</i>) FROM THE GULF OF MEXICO, WITH REMARKS ON THE STATUS OF THE FAMILY	347-354	Gulf of Maine offshore water temperatures	302-307
Florida Coast M/V <i>Theodore N. Gill</i> collections of mullet	415, 416	temperature fluctuations in relation to fishes	293-345
Food habits, sailfish	164	Gulf of Mexico, new calanoid copepods of the families Aetideidae, Euchaetidae, and Stephidae	355-363
Food of yellowfin and bigeye tuna	64, 82	Gulf of Mexico, new genus and two new species of Tharibidae, with remarks on the status of the family	347-354
Fraser River, Harrison Rapids, salmon fry	459	Gulf of Mexico, mortality of marine animals in association with <i>Gymnodinium brevis</i>	469
Fresh-water mullet (<i>Agonostomus monticola</i>)	415-425	<i>Gymnodinium brevis</i> with unialgal cultures	472-496
Description of larval forms	417	red tide	469-496
Occurrence and length	421, 424	<i>Gymnura altavela</i> , butterfly ray, northern range	335
Spawning	424	Habitat and habits of larval forms of silver mullet	413
Frigate mackerel (<i>Auxis thazard</i>) at Point Judith, Rhode Island	336	Hereditry in soft shell clam, New England	279
<i>Fundulus majalis</i> , killifish, northern range	336	Hida, Thomas S., and Joseph E. King: ZOOPLANKTON ABUNDANCE IN THE CENTRAL PACIFIC, PART II	365-395
		<i>Hippocampus hudsonius</i> , sea horse, northern range	336
		Hoven, Earl E., and Wilvan G. Van Campen: TUNAS AND TUNA FISHERIES OF THE WORLD: AN ANNOTATED BIBLIOGRAPHY, 1930-53	173-249

	Page		Page
<i>Hypomesus pretiosus</i> , silver smelt spawning, Pacific Coast.....	444	Marlin, blue.....	169
		white.....	169
Ikehara, Isaac I., and Joseph E. King: COMPARATIVE STUDY OF FOOD OF BIGEYE AND YELLOWFIN TUNA IN THE CENTRAL PACIFIC....	61-85	Meetinghouse Cove, New England, soft clam.....	287
Istiophorids of the western north Atlantic.....	139	Menhaden, Changes in abundance.....	333
possible identity of specimens.....	169	<i>Menticirrhus saxatilis</i> , kingfish, northern range.....	337
list of specimens studied.....	170	METHOD OF ESTIMATING ABUNDANCE OF GROUND-FISH ON GEORGES BANK, A, by George A. Rounsefell.....	265-278
sailfishes.....	139-171	Michigan, Lake Trout, age determination.....	1-59
<i>Istiophorus orientalis</i>	522-523	<i>monticola</i> , <i>Agonostomus</i> , fresh-water mullet.....	415
<i>Istiompax marlina</i> , black marlin.....	524	Mortality of marine animals in Gulf of Mexico.....	469
June, Fred C., and Heeny S. H. Yuen: YELLOWFIN TUNA SPAWNING IN THE CENTRAL EQUATORIAL PACIFIC.....	251-264	<i>Mugil cephalus</i> , experimental.....	486-492
Juvenile sailfish.....	150	striped-mullet, northern range.....	336-415
Karluk Lake and River.....	456-457	<i>Mugil curema</i> , silver mullet.....	397, 415
Key to Tharybidae family.....	349	development of egg.....	399
Key to spearfishes of Central Pacific.....	499	growth.....	402, 410
King, Joseph E., and Isaac I. Ikehara: COMPARATIVE STUDY OF FOOD OF BIGEYE AND YELLOWFIN TUNA IN THE CENTRAL PACIFIC....	61-85	occurrence.....	397, 410
King, Joseph E., and Thomas S. Hida: ZOOPLANKTON ABUNDANCE IN THE CENTRAL PACIFIC, PART II.....	365-395	spawning.....	410
King mackerel (<i>Scomberomorus regalis</i>).....	336-337	Mugilidae, fresh-water mullet.....	415-425
Klamath River.....	452	Mullet, fresh-water.....	415
Lake Michigan lake herring in Green Bay.....	87	description.....	417
Lake Michigan lake trout.....	1-59	occurrence of larval and juvenile.....	424
Age determination from scales.....	9	spawning.....	424
Larvae of silver mullet in plankton tows.....	398	<i>Mya arenaria</i> , soft clam.....	279-292
LARVAL FORMS OF THE FRESH-WATER MULLET (<i>Agonostomus monticola</i>) FROM THE OPEN OCEAN OFF THE BAHAMAS AND SOUTH ATLANTIC COAST OF THE UNITED STATES, by William W. Anderson.....	415-425	NEW CALANOID COPEPODS OF THE FAMILIES AETIDEIDAE, EUCHAETIDAE, AND STEPHIDAE FROM THE GULF OF MEXICO, by Abraham Fleminiger.....	355-363
Length-weight relation in growth of lake trout.....	36	New England, soft shell clams.....	279-292
<i>Leucichthys arctedi</i> (LeSueur), Lake Michigan herring.....	87	marine animals, distribution.....	293
<i>Leucichthys</i> ascribed in Europe to <i>Argyrosomus</i>	87	NEW GENUS AND TWO NEW SPECIES OF THARYBIDAE (<i>Copepoda calanoida</i>) FROM THE GULF OF MEXICO, WITH REMARKS ON THE STATUS OF THE FAMILY, by Abraham Fleminiger.....	347-354
LIFE HISTORY OF LAKE HERRING OF GREEN BAY, LAKE MICHIGAN, by Stanford H. Smith.....	87-138	<i>Neothunnus macropterus</i> (Temminck and Schlegel), distribution in Central Pacific.....	383
Little tuna (<i>Euthynnus alletteratus</i>) in Barnstable.....	336	<i>Neothunnus macropterus</i> , food of yellowfin tuna.....	61, 79
Lizard fish (<i>Synodus foetens</i>).....	336	North American Salmonidae.....	451-468
Lobster, Changes in abundance.....	325	size and weight of eggs and fry.....	459
fluctuations in landings.....	325	North Atlantic, Air and sea temperatures.....	294, 298, 301
Loliginidae, food of tuna.....	66	OBSERVATIONS ON THE DEVELOPMENT OF THE ATLANTIC SAILFISH, <i>Istiophorus americanus</i> (CUVIER), WITH NOTES ON AN UNIDENTIFIED SPECIES OF ISTIOPHORID, by Jack W. Gehring.....	139-171
MacGregor, John S.: FECUNDITY OF THE PACIFIC SARDINE (<i>Sardinops caerulea</i>).....	427-449	OBSERVATIONS ON THE SPEARFISHES OF THE CENTRAL PACIFIC, by William F. Royce.....	497-554
Mackerel, fluctuations in landings.....	324	Offatts Bayou (Galveston Bay), <i>Gonyaulax</i> cause of mortality.....	493
<i>Makaira albida</i> (Poey).....	169	O-mark on Lake Michigan lake trout scales.....	26
<i>ample</i> , blue marlin.....	532	Ommastrephidae and Loliginidae families, food for tuna fish.....	65, 75, 79
<i>audax</i> , striped marlin.....	528	<i>Oncorhynchus</i>	451, 453
<i>Mallotus catervarius</i> , capelin, Pacific Coast.....	444	largest eggs among species.....	461
Marine animals, Changes in distribution.....	323	<i>Oncorhynchus keta</i> in Japanes waters.....	455
Marked Lake Michigan trout, release and recoveries.....	2	Otter trawlers from Boston on Georges Bank.....	266
		amount of fishing in each depth zone.....	270

	Page		Page
Pacific, Central Equatorial, yellowfin tuna spawning.....	251-264	Sea bass (<i>Centropristes striatus</i>), Corea, Maine..	337
Pacific sardine.....	427-449	Sea hare (<i>Tethys protea</i>), damage lobster trap, Woods Hole.....	337
Pacific herring, <i>Clupea pallasii</i> , spawning.....	443	Sea horse (<i>Hippocampus hudsonius</i>) Maine Coast.....	336
<i>pacificus</i> , <i>Thaleichthys</i> , eulachon spawning.....	443	Sensitivity test with antibiotics.....	556,
Palmyra Island, zooplankton distribution.....	388	with sulfonamides.....	558
<i>pallasii</i> , <i>Clupea</i>	443	Shortnose spearfish <i>Tetrapturus angustirostris</i>	520-522
Paracalanina family.....	347	Silver mullet, Atlantic Coast.....	397-414
<i>paraconcinna</i> , <i>Euchaeta</i> , new species.....	358	development from larval to juvenile stage..	402
<i>Parundinella</i> , new genus.....	348	growth.....	410
Pink salmon, McClinton Creek.....	452, 453, 462	pigmentation.....	405
<i>Pinnixa</i> and <i>Polyonyx</i> , tube crabs.....	337	scales.....	407
<i>pretiosus</i> , <i>Hypomesus</i> , silver smelt spawning, Pacific Coast.....	444	spawning.....	410
<i>Prosopium</i> , range in northwestern North America.....	S7	Silver smelt (<i>Hypomesus pretiosus</i> , spawning....	444
Ray, Sammy M., and William B. Wilson: EFFECTS OF UNIALGAL AND BACTERIA-FREE CULTURES OF <i>Gymnodinium brevis</i> ON FISH, AND NOTES ON RELATED STUDIES WITH BACTERIA.....	469-496	Size of yellowfin tuna at first spawning.....	257
Red tide.....	469, 492	Skeena River system.....	462
Rounsefell, George A.: A METHOD OF ESTIMATING ABUNDANCE OF GROUND FISH ON GEORGES BANK.....	265-278	Smith, Stanford H.: LIFE HISTORY OF LAKE HERRING OF GREEN BAY, LAKE MICHIGAN....	87-138
Rounsefell, George A.: FECUNDITY OF NORTH AMERICAN SALMONIDAE.....	451-468	Snieszko, S. F., and G. L. Bullock: TREATMENT OF SULFONAMIDE-RESISTANT FURUNCULOSIS IN TROUT AND DETERMINATION OF DRUG SENSITIVITY.....	555-564
Royce, William F.: OBSERVATIONS ON THE SPEARFISHES OF THE CENTRAL PACIFIC.....	497-554	Sockeye salmon, Cultus Lake.....	453
Sacramento River.....	452	Soft shell clam, New England Coast.....	279
Sagadahoc Bay, soft clams in.....	279	South Atlantic Coast of U.S., fresh-water mullet..	415-425
Georgetown Island.....	279	South Atlantic Coast, silver mullet.....	397-414
Sailfish, Atlantic (<i>Istiophorus americanus</i>).....	139	fishery investigations, sailfish.....	139-171
food habits.....	164	Spawning of fresh-water mullet (<i>Agonostomus monticola</i>).....	424
growth.....	150	surveys of habitat.....	415
larvae.....	142-149	Spawning of sailfish.....	165
spawning.....	165	Spawning of silver mullet.....	410
Sailfish, <i>Istiophorus orientalis</i>	139-171, 522	Spear, Harlan S., and John B. Glude: EFFECTS OF ENVIRONMENT AND HEREDITY ON GROWTH OF THE SOFT CLAM (<i>Mya arenaria</i>).....	279-292
<i>Salmo trutta</i> , brown trout, experimental.....	555	Spearfish, <i>Tetrapturus angustirostris</i>	520-522
fecundity of.....	451	Spearfishes of the Central Pacific.....	497-554
treatment with sulfonamides and chloramphenicol.....	556-558	analysis of diagnostic characters.....	500
Salmonidae, fecundity of.....	451-468	determination of allometric growth.....	502
<i>Salvelinus fontinalis</i> , brook trout, experimental.....	555	key to spearfishes, Central Pacific.....	499
<i>Salvelinus n. namaycush</i> (Walbaum), lake trout..	1-59	observations on species.....	518
<i>sarda sarda</i> , bonito, northern range.....	336	Squid, food of yellowfin and bigeye tuna.....	67, 75, 79
Sardine, Fecundity of.....	427-449	Stephidae, Copepod from Gulf of Mexico.....	361
<i>Sardinops caerulea</i> , Pacific sardine.....	427-449	<i>Stephos</i> Scott.....	361
age at first maturity.....	447	<i>S. deichmannae</i> , n. sp.....	363
number of spawnings a year.....	440	<i>Stizostedion vitreum</i> , walleye scales compared with lake trout.....	6
relation between fecundity and age.....	439	Stomach contents, bigeye and yellowfin tuna....	64
Scale measurements of lake herring.....	92	Striped bonito (<i>Euthynnus pelamis</i>), Barnstable Cape Cod.....	336
Scales in age determination of Lake Michigan trout.....	1-59	Striped marlin, <i>Makaira audax</i>	528
<i>Scomberomorus regalis</i> , mackerel, northern range..	336-337	Striped mullet (<i>Mugil cephalus</i>), Green Bay, N.H..	336
<i>Scolelithricella ctenopus</i> (Giesbrecht).....	347	Striped mummichog or killifish (<i>Fundulus majalis</i>), Green Bay, N.H.....	336
Scripps Institution of Oceanography.....	365	Sulfonamide-resistant furunculosis in trout....	555
Zooplankton studies, Central Pacific.....	365	Sulfonamides, Treatment of drug-resistant furunculosis.....	555
		Swedish Deep-Sea Expedition Surveys in Pacific..	365

	Page		Page
Swordfish, broadbill, <i>Xiphias gladius</i>	518	<i>Venus mercenaria</i> spawning temperature, New	
<i>Synodus foetens</i> , lizard fish, northern range.....	336	England.....	339
Tagged trout returns, Lake Michigan.....	2	VESSELS:	
Taylor, Clyde C., Henry B. Bigelow, and Herbert		<i>Albatross</i> , off New England.....	304, 307, 318
W. Graham: CLIMATIC TRENDS AND THE DIS-		<i>Alaska</i> , Gulf of Mexico.....	139, 149, 170
TRIBUTION OF MARINE ANIMALS IN NEW		<i>Asterias</i> , Woods Hole Oceanic Institute tem-	
ENGLAND.....	293-345	perature readings in Massachusetts Bay..	322
Temperature changes in New England waters....	294	<i>Carnegie</i> Equatorial Pacific.....	365-395
Temperature in faunistic changes, New England..	338	<i>Cavaliere</i>	75
Temperatures over United States and Canada....	294	<i>Charles H. Gilbert</i>	75, 365
<i>Tethys protea</i> , sea hare, found at Woods Hole....	337	<i>Fish Hawk</i>	170
<i>Tetrapturus angustirostris</i> , shortnose spearfish....	520-522	<i>Grampus</i> , New England.....	318
<i>Tetrapturus belone</i> Rafinisque.....	169	<i>Halcyon</i>	311
<i>Thaleichthys pacificus</i> , eulachon, spawning.....	443	<i>Hugh M. Smith</i>	365, 381, 395
Tharybidae, synoptic key.....	349	<i>John R. Manning</i>	75, 384, 497
Two new species Tharybidae.....	347	<i>Theodore N. Gill</i>	139-140, 170, 397, 415, 417
<i>Tharybis macrophthalma</i> , northeastern Atlantic..	347	Western Atlantic Istiophorids: ¹ Atlantic sailfish,	
<i>Thunnus thynnus</i> , tuna, northern range.....	336	white marlin, blue marlin, and spearfish.....	169
Toxicity studies with bacteria.....	488-490	West coast of Florida fish mortality not caused	
Trawlers, otter, Boston, for determining relative		by oxygen lack.....	493
abundance of groundfish.....	266	White marlin.....	164, 169
fishing in each depth zone.....	270	Whiting, changes in abundance and distribution..	329
TREATMENT OF SULFONAMIDE-RESISTANT FURUN-		Wilson, William B., and Sammy M. Ray: EFFECTS	
CULOSIS IN TROUT AND DETERMINATION OF DRUG		ON UNIALGAL AND BACTERIA-FREE CULTURES	
SENSITIVITY, BY S. F. Snieszko and G. L.		OF GYMNODINIUM BREVIS ON FISH.....	469-496
Bullock.....	555-564	Wood borer (<i>Xylophaga dorsalis</i>), damage to lob-	
Trout, Lake Michigan.....	1-59	ster trap, Maine.....	337
Tube crabs (<i>Pinnixa</i> and <i>Polyonyx</i>) rare in		Woods Hole, Mass., Mean water temperatures..	345
Woods Hole region.....	337	<i>Xiphias gladius</i> , swordfish, broadbill... 139, 164, 169, 518	
Tulane University collection, Oregon.....	170	<i>Xylophaga dorsalis</i> , wood borer, enemy of lobster	
Tuna abundance in Central Pacific, food of		traps, Maine.....	337
bigeye and yellowfin.....	61-85, 383	Yellowfin and bigeye tuna food.....	61
Tuna (<i>Thunnus thynnus</i>) in Gulf of Maine.....	336	food varies with depth.....	67, 82
TUNAS AND TUNA FISHERIES OF THE WORLD: AN		food varies with distance from land.....	69, 82
ANNOTATED BIBLIOGRAPHY, 1930-53, by Wilvan		Yellowfin tuna, <i>Neothunnus macropterus</i> , food... 383	
Van Campen and Earl E. Hoven.....	173-249	YELLOWFIN TUNA SPAWNING IN THE CENTRAL	
Ulcer disease in trout, Experimental treatment..	562	EQUATORIAL PACIFIC, by Heeny S. H. Yuen	
<i>Undinella</i> Sars.....	349	and Fred C. June.....	251-264
Unialgal cultures, Experiments with.....	469-495	Yellowtail flounder changes in abundance.....	334
<i>Flavobacterium piscicida</i>	489	Yuen, Heeny S. H., and Fred C. June: YELLOW-	
<i>Gymnodinium brevis</i>	472-488	FIN TUNA SPAWNING IN THE CENTRAL EQUA-	
<i>G. splendens</i>	473	TORIAL PACIFIC.....	251-264
<i>Prorocentrum</i> sp.....	474, 475	ZOOPLANKTON ABUNDANCE IN THE CENTRAL	
U.S. National Museum collections of sailfish,		PACIFIC, PART II, by Joseph E. King and	
taken by <i>Albatross</i> , <i>Fish Hawk</i> , and Oregon... 170		Thomas S. Hida.....	365-395
VALIDITY OF AGE DETERMINATION FROM SCALES,		distribution about an oceanic island.....	388
AND GROWTH OF MARKED LAKE MICHIGAN		variations in system of currents.....	375, 377-382
LAKE TROUT, by Louella E. Cable.....	1-59		
Van Campen, Wilvan G., and Earl E. Hoven:			
TUNAS AND TUNA FISHERIES OF THE WORLD:			
AN ANNOTATED BIBLIOGRAPHY 1930-53.....	173-249		